

**AUG. 2025**

# **SAFETY JOGGER WORKS**


## **HEAD-TO-TOE PROTECTION**



**DISTRIBUTED BY:  
TRADERS INDUSTRIAL SUPPLY CO., INC**

**Location:** 24TH Floor Trident Tower, 312 Sen Gil  
Puyat Ave., Makati City  
**Email:** trisco@pltdsl.net  
**Viber:** 0917 581 8704  
**Tel No.:** (+632) 817 8914 or 817 9004

**25  
YEARS**



# More than 70 years of experience


Safety Jogger's story began in **1950**, when a small and family-owned shoe company called **Cortina** was founded in Belgium. Over time, Cortina expanded and evolved into a global business with many brands in its portfolio.

**Safety Jogger** was launched in **2000** as one of Cortina's key brands. By leveraging Cortina's extensive experience, Safety Jogger quickly became a major player in the global market for certified personal protective equipment (PPE).

Today, Safety Jogger is trusted by many businesses worldwide, operating in **+143 markets** and selling more than **12 million PPE products** each year.

## DEALER SUPPORT

Discover all our digital tools here: [order.safetyjogger.com](https://order.safetyjogger.com)



### Video

Download our campaign and product videos

### Photo

Access lifestyle pictures of our entire collection



### GIF

Explore our ready-to-use social media content



### Safety Jogger Academy

Watch our training videos and learn more about our products



### Brand guide

Learn more about how to use the Safety Jogger branding

**more...**

## WORLDWIDE CERTIFICATES

# No safety shoe without the right certifications

We are present worldwide and deliver certified products that meet global safety standards.

No matter what country you live in.

No matter which safety product you are interested in.

**We provide the right certifications for your region!**

Safety Jogger's safety footwear is certified in accordance with the global standard for safety footwear.



Need a specific certificate for your area that we don't have yet? Let us know and we'll make it happen!

## Our certification label explained

QR code to verify product authenticity

Order number  
Product reference



CE and UKCA marking, indicating compliance with the highest safety, health and environmental protection requirements

Size

Manufacturing date


Standard and obtained protection category

Additional standards and their protection categories

Manufacturer and address

Country of production

Material composition of the upper, lining and outsole







## QUALITY IS KEY

By developing in our own facilities and inspecting all materials in our specialized test laboratory, we can monitor every aspect of our products. From design and construction to the final distribution. This way, all products are manufactured according to Safety Jogger's quality standards.

As a result, we are certified by the most known institutes in the industry and can guarantee our products meet the highest norms when it comes to protection.

### *Innovation in every step:*

- ✓ Specialized **test lab**
- ✓ Advanced **R&D facilities** in Europe and Asia
- ✓ Experienced **footwear professionals**
- ✓ Use of the latest **footwear technology**
- ✓ **Certified** worldwide
- ✓ Modern **on-site sample room**
- ✓ State-of-the-art **machinery**
- ✓ Continuous **investments** in innovation and development





# SAFETY JOGGER WORKS



## LIGHT

### APPLICATION

Light application footwear is engineered for dry environments. Wearers of this type of footwear typically work indoors, on relatively even floors. Examples of light application industries are logistics, assembly or even catering.



## MEDIUM

### APPLICATION

Medium application footwear is engineered for both wet and dry environments with more robust requirements. People wearing this type of footwear usually have to carry out tougher jobs or kneeling activities. These shoes and boots can be used both indoors and outdoors and are therefore more all-round, but less fit for extreme circumstances. Examples of medium application industries are light construction, oils and gas industry or utility.



## HEAVY

### APPLICATION

Heavy application footwear is engineered for dirty, muddy and rocky environments. People wearing this type of footwear mostly work outdoors and have to walk on uneven surfaces that demand high stability and protection of their feet. Examples of heavy application industries are road construction, building construction, or even mining.



# THE NEW STANDARD FOR SAFETY FOOTWEAR EXPLAINED - EN ISO 20345:2022

Standards for PPE products are regularly reviewed and adapted when necessary. This is also the case for EN ISO 20345. Until June 2022, the 2011 version of the standard was in place. From then on, the updated 2022 standard came into effect.

Certificates do not expire when a standard is updated. This means the certificates of all shoes certified to EN ISO 20345:2011 remain valid until their expiration date (which is 5 years from the date of issue).

|                                                                                   |                                                                                           | CLASS 1<br>made from leather, textiles<br>or synthetic materials                  |                                                                                     |                                                                                     |                                                                                   |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       | CLASS 2<br>made from rubber or<br>polymeric materials                               |                                                                                       |                                                                                       |                                                                                       | Additional features |                                                         |
|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------|---------------------------------------------------------|
|                                                                                   |                                                                                           | SB                                                                                | S1                                                                                  | S1P                                                                                 | S1PL                                                                              | S2                                                                                  | S3                                                                                  | S3L                                                                                   | S6                                                                                    | S7                                                                                    | S7L                                                                                   | SB                                                                                  | S4                                                                                    | S5                                                                                    | S5L                                                                                   |                     |                                                         |
|  | Toe protection<br>(≥200 Joule)                                                            |  |    |    |  |    |    |    |    |    |    |  |    |    |    | AN                  | Ankle protection                                        |
|  | Basic slip resistance<br>(ceramic floor + soap solution)                                  |  |    |    |  |    |    |    |    |    |    |  |    |    |    | M                   | Metatarsal protection                                   |
|  | Closed heel                                                                               |                                                                                   |    |    |  |    |    |    |    |    |    |                                                                                     |    |    |    | NEW SR              | Slip resistance<br>(ceramic floor + oily solution)      |
| A                                                                                 | Antistatic                                                                                |                                                                                   |    |    |  |    |    |    |    |    |    |                                                                                     |    |    |    | A                   | Antistatic                                              |
| E                                                                                 | Heel energy absorption                                                                    |                                                                                   |    |    |  |    |    |    |    |    |    |                                                                                     |    |    |    | NEW LG              | Ladder grip                                             |
| UPDATE WPA                                                                        | Water penetration and<br>absorption                                                       |                                                                                   |                                                                                     |                                                                                     |                                                                                   |  |  |  |  |  |  |                                                                                     |                                                                                       |                                                                                       |                                                                                       | NEW SC              | Abrasion resistant<br>scuff cap                         |
| WR                                                                                | Waterproof                                                                                |                                                                                   |                                                                                     |                                                                                     |                                                                                   |                                                                                     |                                                                                     |                                                                                       |  |  |  |                                                                                     |  |  |  | CI                  | Cold insulation                                         |
| UPDATE P                                                                          | Metallic puncture resistant<br>midsole (4.5mm nail)                                       |                                                                                   |  |                                                                                     |                                                                                   |                                                                                     |  |                                                                                       |                                                                                       |  |                                                                                       |                                                                                     |                                                                                       |  |                                                                                       | HI                  | Heat insulation                                         |
| NEW PL<br>L<br>PS<br>S                                                            | Non-metallic puncture<br>resistant midsole<br>PL = large nail 4.5mm<br>PS = slim nail 3mm |                                                                                   |                                                                                     |  |                                                                                   |                                                                                     |                                                                                     |  |                                                                                       |                                                                                       |  |                                                                                     |                                                                                       |                                                                                       |  | HRO                 | Heat-resistant outsole<br>(up to 300°C)                 |
|                                                                                   | Cleated outsole<br>(cleat height ≥ 3,5mm)                                                 |                                                                                   |                                                                                     |                                                                                     |                                                                                   |                                                                                     |  |  |                                                                                       |  |  |                                                                                     |                                                                                       |  |  | UPDATE P            | Metallic puncture resistant<br>midsole (4.5mm nail)     |
|                                                                                   |                                                                                           |                                                                                   |                                                                                     |                                                                                     |                                                                                   |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                     |                                                                                       |                                                                                       |                                                                                       | NEW PL              | Non-metallic puncture resistant<br>midsole (4.5mm nail) |
|                                                                                   |                                                                                           |                                                                                   |                                                                                     |                                                                                     |                                                                                   |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                     |                                                                                       |                                                                                       |                                                                                       | NEW PS              | Non-metallic puncture resistant<br>midsole (3mm nail)   |
|                                                                                   |                                                                                           |                                                                                   |                                                                                     |                                                                                     |                                                                                   |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                     |                                                                                       |                                                                                       |                                                                                       | UPDATE WPA          | Water penetration and<br>absorption                     |
|                                                                                   |                                                                                           |                                                                                   |                                                                                     |                                                                                     |                                                                                   |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                     |                                                                                       |                                                                                       |                                                                                       | WR                  | Waterproof                                              |
|                                                                                   |                                                                                           |                                                                                   |                                                                                     |                                                                                     |                                                                                   |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                     |                                                                                       |                                                                                       |                                                                                       | E                   | Heel energy<br>absorption                               |
|                                                                                   |                                                                                           |                                                                                   |                                                                                     |                                                                                     |                                                                                   |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                     |                                                                                       |                                                                                       |                                                                                       | UPDATE FO           | Oil & fuel resistance                                   |
|                                                                                   |                                                                                           |                                                                                   |                                                                                     |                                                                                     |                                                                                   |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                     |                                                                                       |                                                                                       |                                                                                       | ESD                 | Electrostatic discharge<br>(EN 61340)                   |
|                                                                                   |                                                                                           |                                                                                   |                                                                                     |                                                                                     |                                                                                   |                                                                                     |                                                                                     |                                                                                       |                                                                                       |                                                                                       |                                                                                       |                                                                                     |                                                                                       |                                                                                       |                                                                                       | EH                  | Electrical hazard<br>(ASTM F2413)                       |

# MORE MADE FROM LESS

Discover our entire eco collection on [safetyjogger.com](https://safetyjogger.com)

Play movie



**lining**  
mesh with yarn made from recycled plastic



**threads**  
100% recycled



**laces**  
made from 95% recycled plastic



**upper**  
knitwear with yarn made from 90% recycled plastic



**reinforcements/  
back counter**  
100% recycled materials



**comfortable  
footbed**  
100% recycled materials

**ECONILA**



**10-12  
PET  
bottles**



Each pair of ECONILA contains no less than 10-12 PET bottles worth of ocean waste and is therefore GRS certified. That way, these safety shoes not only protect your feet, but also our planet.



## LIGHT APPLICATION

## ECO



### ECONILA S1 LOW

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Knitted Recycled Textile                                           |
| Outsole    | Phylon/Rubber (NBR)                                                |
| Toecap     | Composite                                                          |
| Midsole    | N/A                                                                |
| Lining     | Recycled Mesh                                                      |
| Footbed    | SJ Memory foam                                                     |
| Category   | S1 ESD, FO, HRO, SR                                                |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### ECODEMPO S3S LOW

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Water resistant textile, TPU                                       |
| Outsole    | Phylon/Rubber (NBR)                                                |
| Toecap     | Nano Carbon                                                        |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Recycled Mesh                                                      |
| Footbed    | SJ Memory foam                                                     |
| Category   | S3S ESD, HI, CI, FO, HRO, SR                                       |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### ECODESERT S1P MID

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Recycled canvas                                                    |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Recycled canvas                                                    |
| Footbed    | SJ foam                                                            |
| Category   | S1 P FO, SR                                                        |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### MORRIS

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Recycled Mesh, Knitted Recycled Textile                             |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Toecap     | Nano Carbon                                                         |
| Midsole    | Nonwoven                                                            |
| Lining     | Recycled Mesh                                                       |
| Footbed    | SJ foam                                                             |
| Category   | S1 P ESD, SRC                                                       |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### ECOLOBI S1P LOW TLS

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Recycled Mesh, Microfiber                                          |
| Outsole    | Phylon/Rubber (NBR)                                                |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Recycled Mesh                                                      |
| Footbed    | SJ Memory foam                                                     |
| Category   | S1 PS ESD, FO, HRO, SR                                             |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### ECOFITZ S1P LOW

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Knitted Recycled Textile                                           |
| Outsole    | PU                                                                 |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Recycled Mesh                                                      |
| Footbed    | SJ foam                                                            |
| Category   | S1 P ESD, CI, FO, SR                                               |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



KHA

BLK

BLK

BLK

KHA

AH6



BLK

BLU



BLK

GRY  
EU: 35-47



BLK



## LIGHT APPLICATION

## LIGHTWEIGHT



BLK

### FUJI S3S LOW

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Textile, Microfiber                                                 |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ Memory foam                                                      |
| Category   | S3S ESD, HI, CI, FO, HRO, SR                                        |
| Size Range | EU 35-48 • UK 3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



TLS

SND

### SANDY S3S LOW TLS

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Suede Leather                                                       |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ Memory foam                                                      |
| Category   | S3S ESD, HI, CI, FO, HRO, SR                                        |
| Size Range | EU 36-45 • UK 3.5-10.5 • US 4.0-11.5<br>KOR 235-295 • JPN 22.5-29.0 |



BLK

TAU

### FUJI S3S MID

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Textile, Microfiber                                                 |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ Memory foam                                                      |
| Category   | S3S ESD, HI, CI, FO, HRO, SR                                        |
| Size Range | EU 35-48 • UK 3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



TLS

SND

### SANDY S3S MID TLS

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Suede Leather                                                       |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ Memory foam                                                      |
| Category   | S3S ESD, HI, CI, FO, HRO, SR                                        |
| Size Range | EU 36-45 • UK 3.5-10.5 • US 4.0-11.5<br>KOR 235-295 • JPN 22.5-29.0 |





## LIGHT APPLICATION

## LIGHTWEIGHT



BLK

### ELGON S3S LOW

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Synthetic Leather                                                  |
| Outsole    | Phylon/Rubber (NBR)                                                |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ Memory foam                                                     |
| Category   | S3S ESD, HI, CI, FO, HRO, SR                                       |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



BLK

### PACCO S3S LOW TLS

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Synthetic Leather                                                  |
| Outsole    | Phylon/Rubber (NBR)                                                |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ Memory foam                                                     |
| Category   | S3S HI, CI, FO, HRO, SR, SC, ESD                                   |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



DBL

BLK



GRY

### AAK S1P LOW

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Textile, Synthetic                                                 |
| Outsole    | Phylon/Rubber (NBR)                                                |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ Memory foam                                                     |
| Category   | S1 PS ESD, FO, HRO, SR                                             |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |

RED



BLK

### MILOS S1P MID

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Textile, Synthetic                                                 |
| Outsole    | Phylon/Rubber (NBR)                                                |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ Memory foam                                                     |
| Category   | S1 PS ESD, FO, HRO, SR                                             |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



BLK

### ASAMA S3S MID TLS

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Textile, Synthetic                                                 |
| Outsole    | Phylon/Rubber (NBR)                                                |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ Memory foam                                                     |
| Category   | S3S ESD, HI, CI, FO, HRO, SR                                       |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



BLK

### LOBI S1P LOW TLS

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Textile, Synthetic                                                 |
| Outsole    | Phylon/Rubber (NBR)                                                |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ Memory foam                                                     |
| Category   | S1 PS ESD, FO, HRO, SR                                             |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



AH6  
EU:35-47

NAV  
EU:35-47



BLK

### LIGHTSTAR S1PS

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Textile, Synthetic                                                 |
| Outsole    | EVA/Rubber (NBR)                                                   |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S1 PS ESD, HI, CI, HRO, SR, SC                                     |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### MILOS S1P LOW

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Textile, Synthetic                                                 |
| Outsole    | Phylon/Rubber (NBR)                                                |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ Memory foam                                                     |
| Category   | S1 PS ESD, FO, HRO, SR                                             |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |

BLK



## LIGHT APPLICATION

## LIGHTWEIGHT



### LIGERO2 S1P MID TLS

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Textile                                                             |
| Outsole    | PU                                                                  |
| Toecap     | Nano Carbon                                                         |
| Midsole    | Nonwoven                                                            |
| Lining     | Mesh                                                                |
| Footbed    | SJ foam                                                             |
| Category   | S1 P ESD, SRC                                                       |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### ABSOLUTE S1P

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Mesh                                                                |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Toecap     | Nano Carbon                                                         |
| Midsole    | Nonwoven                                                            |
| Lining     | 3D-Mesh                                                             |
| Footbed    | SJ foam                                                             |
| Category   | S1 P ESD, SRC, CI                                                   |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### PACCO S1PS LOW

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Synthetic Leather                                                   |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ Memory foam                                                      |
| Category   | S1 PS ESD, SR                                                       |
| Size Range | EU 35-48 • UK 3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### TANA P1

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Synthetic Leather                                                   |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Toecap     | Plastic                                                             |
| Midsole    | N/A                                                                 |
| Lining     | Mesh                                                                |
| Footbed    | SJ Memory foam                                                      |
| Category   | P1 ESD, FO, HRO, SR                                                 |
| Size Range | EU 35-48 • UK 3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### LIGERO2 S1P LOW

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Textile                                                             |
| Outsole    | PU                                                                  |
| Toecap     | Nano Carbon                                                         |
| Midsole    | Nonwoven                                                            |
| Lining     | Mesh                                                                |
| Footbed    | SJ foam                                                             |
| Category   | S1 P ESD, SRC                                                       |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### LIGERO S1P

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Mesh                                                                |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Toecap     | Nano Carbon                                                         |
| Midsole    | Nonwoven                                                            |
| Lining     | 3D-Mesh                                                             |
| Footbed    | SJ foam                                                             |
| Category   | S1 P ESD, SRC, CI                                                   |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### ALTO TLS

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Textile, Synthetic                                                  |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Toecap     | Plastic                                                             |
| Midsole    | N/A                                                                 |
| Lining     | Mesh                                                                |
| Footbed    | SJ Memory foam                                                      |
| Category   | ESD, FO, SR                                                         |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |







Play movie



# COLORS

CADOR



# THAT



# WORK



## LIGHT APPLICATION

## SPORTS



### CADOR S1P

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Mesh                                                               |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ foam                                                            |
| Category   | S1 P ESD, FO, SR                                                   |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### RAPTOR

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Nubuck Action Leather, Mesh                                        |
| Outsole    | Phylon/Rubber (NBR)                                                |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S1 PS FO, HRQ, SR                                                  |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



### YUKONSTAR S1P

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Textile, Microfiber                                                 |
| Outsole    | PU                                                                  |
| Toecap     | Steel                                                               |
| Midsole    | Steel                                                               |
| Lining     | Textile                                                             |
| Footbed    | SJ foam                                                             |
| Category   | S1 P FO, SR                                                         |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |

### TURBO S3

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Nubuck Action Leather                                               |
| Outsole    | PU/Rubber (NBR)                                                     |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | 3D-Mesh                                                             |
| Footbed    | SJ foam                                                             |
| Category   | S3S HI, CI, FO, HRQ, SR                                             |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



GRY

### CADOR S1P MID

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Mesh                                                               |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ foam                                                            |
| Category   | S1 P ESD, FO, SR                                                   |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### FLOW S1P LOW

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Mesh                                                               |
| Outsole    | PU/PU                                                              |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ foam                                                            |
| Category   | S1 P ESD, SRC                                                      |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### YUKON S1P

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Textile, Microfiber                                                 |
| Outsole    | PU/PU                                                               |
| Toecap     | Steel                                                               |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Textile                                                             |
| Footbed    | SJ foam                                                             |
| Category   | S1 P ESD, SRC                                                       |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### SPEEDY S3

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Nubuck Action Leather                                              |
| Outsole    | PU/Rubber (NBR)                                                    |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ foam                                                            |
| Category   | S3S HI, CI, FO, HRQ, SR                                            |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



LGR

BLU



077



NAV

BLK



094



BLU



NAV

BLK



094



LIGHT APPLICATION

SPORTS



NAV

### BALTO S1

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Textile, Synthetic                                                  |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Toecap     | Steel                                                               |
| Midsole    | N/A                                                                 |
| Lining     | Synthetic Leather, Mesh                                             |
| Footbed    | SJ foam                                                             |
| Category   | S1 HI, CI, HRO, SR, SC                                              |
| Size Range | EU 36-47 • UK 3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |





NEW

**BOTANIC S1P MID**

813

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Suede Leather                                                      |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S1 P ESD, CI, FO, SR, SC, LG                                       |
| Size Range | EU 35-43 • UK 3.0-9.0 • US 5.5-11.5<br>KOR 230-280 • JPN 21.5-27.0 |

**BESTLADY S3 MID**

BLK

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Full Grain Leather                                                 |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3 ESD, CI, FO, SR, LG                                             |
| Size Range | EU 35-43 • UK 3.0-9.0 • US 5.5-11.5<br>KOR 230-280 • JPN 21.5-27.0 |

**CERES S3**

210

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Nubuck Action Leather                                              |
| Outsole    | Rubber (NBR)                                                       |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ foam                                                            |
| Category   | S3 SRC, HRO                                                        |
| Size Range | EU 36-42 • UK 3.5-8.0 • US 6.0-10.5<br>KOR 235-270 • JPN 22.5-26.5 |



NEW

**ORGANIC S1P LOW**

813

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Suede Leather                                                      |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S1 P ESD, CI, FO, SR, SC, LG                                       |
| Size Range | EU 35-43 • UK 3.0-9.0 • US 5.5-11.5<br>KOR 230-280 • JPN 21.5-27.0 |

**BESTGIRL S3 LOW**

BLK

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Full Grain Leather                                                 |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3 SRC                                                             |
| Size Range | EU 35-43 • UK 3.0-9.0 • US 5.5-11.5<br>KOR 230-280 • JPN 21.5-27.0 |

**BESTKNIT S1P**

LBL

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Textile, TPU                                                       |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Textile                                                            |
| Footbed    | SJ foam                                                            |
| Category   | S1P ESD, CI, FO, SR, LG                                            |
| Size Range | EU 35-43 • UK 3.0-9.0 • US 5.5-11.5<br>KOR 230-280 • JPN 21.5-27.0 |





**SAFETY  
JOGGER**  
WORKS

**MODULO**  
COMFORT. NO LIMITS.



## MEDIUM APPLICATION

## COMFORT



GRY

### MODULO **S1PS** LOW PERF

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Microfiber                                                         |
| Outsole    | BASF PU/BASF PU                                                    |
| Toecap     | Nano Carbon                                                        |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S1 PS ESD, FO, SR, SC                                              |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



GRY

BLK

### MODULO **S3S** MID TLS

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Microfiber                                                         |
| Outsole    | BASF PU/BASF PU                                                    |
| Toecap     | Nano Carbon                                                        |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3S ESD, CI, FO, SR, SC                                            |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |

### MODULO **S3S** MID

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Microfiber                                                         |
| Outsole    | BASF PU/BASF PU                                                    |
| Toecap     | Nano Carbon                                                        |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3S ESD, CI, FO, SR, SC                                            |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



BLK

NEW

### MODULO ARMOR **S3S** MID

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Abrasion Resistant Synthetic<br>Abrasion resistant fabric          |
| Outsole    | BASF PU/BASF PU                                                    |
| Toecap     | Nano Carbon                                                        |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ foam                                                            |
| Category   | S3S ESD, CI, FO, SR, SC                                            |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



BLK



BLK

### MODULO **S1PS** LOW PERF

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Microfiber                                                         |
| Outsole    | BASF PU/BASF PU                                                    |
| Toecap     | Nano Carbon                                                        |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S1 PS ESD, FO, SR, SC                                              |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



TLS

BLK

### MODULO **S3S** LOW TLS

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Microfiber                                                         |
| Outsole    | BASF PU/BASF PU                                                    |
| Toecap     | Nano Carbon                                                        |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3S ESD, CI, FO, SR, SC                                            |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |

### MODULO **S3S** LOW

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Microfiber                                                         |
| Outsole    | BASF PU/BASF PU                                                    |
| Toecap     | Nano Carbon                                                        |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3S ESD, CI, FO, SR, SC                                            |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



BLK

NEW

### MODULO ARMOR **S3S** LOW

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Abrasion Resistant Synthetic<br>Abrasion resistant fabric          |
| Outsole    | BASF PU/BASF PU                                                    |
| Toecap     | Nano Carbon                                                        |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ foam                                                            |
| Category   | S3S ESD, CI, FO, SR, SC                                            |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



BLK

## MEDIUM APPLICATION

## COMFORT



BRN

NEW

### MODULO LEA S3S MID T

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Crazy Horse Leather                                                |
| Outsole    | Rubber (NBR), BASF PU                                              |
| Toecap     | Nano Carbon                                                        |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ foam                                                            |
| Category   | S3S ESD, HI, CI, FO, HRO, SR, SC, LG                               |
| Size Range | EU 39-47 • UK6.0-12.0 • US 6.5-13.0<br>KOR 255-310 • JPN 25.0-31.0 |



BLK

NEW

### MODULO LE S3S MID TG

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Full Grain Leather                                                 |
| Outsole    | Rubber (NBR), BASF PU                                              |
| Toecap     | Nano Carbon                                                        |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ foam                                                            |
| Category   | S3S ESD, HI, CI, FO, HRO, SR, SC, LG                               |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



WHT

NEW

### MODULO PURE S3S L TG

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Lorica                                                             |
| Outsole    | Rubber (NBR), BASF PU                                              |
| Toecap     | Nano Carbon                                                        |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ foam                                                            |
| Category   | S3S ESD, HI, CI, FO, HRO, SR                                       |
| Size Range | EU 39-47 • UK6.0-12.0 • US 6.5-13.0<br>KOR 255-310 • JPN 25.0-31.0 |



BRN

NEW

### MODULO LEA S3S LOW T

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Crazy Horse Leather                                                |
| Outsole    | Rubber (NBR), BASF PU                                              |
| Toecap     | Nano Carbon                                                        |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ foam                                                            |
| Category   | S3S ESD, HI, CI, FO, HRO, SR, SC, LG                               |
| Size Range | EU 39-47 • UK6.0-12.0 • US 6.5-13.0<br>KOR 255-310 • JPN 25.0-31.0 |



BLK

NEW

### MODULO LE S3S LOW TG

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Full Grain Leather                                                 |
| Outsole    | Rubber (NBR), BASF PU                                              |
| Toecap     | Nano Carbon                                                        |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ foam                                                            |
| Category   | S3S ESD, HI, CI, FO, HRO, SR, SC, LG                               |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



WHT

NEW

### MODULO PURE S3S S TG

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Lorica                                                             |
| Outsole    | Rubber (NBR), BASF PU                                              |
| Toecap     | Nano Carbon                                                        |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ foam                                                            |
| Category   | S3S ESD, HI, CI, FO, HRO, SR                                       |
| Size Range | EU 39-47 • UK6.0-12.0 • US 6.5-13.0<br>KOR 255-310 • JPN 25.0-31.0 |



## MEDIUM APPLICATION

## CLASSIC



BLK



Solid 360-Degree  
Stitched around Outsole

### MAGO S3 MID

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Crazy Horse Leather                                                |
| Outsole    | Rubber (NBR)                                                       |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3 SRC, HRO                                                        |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



Extra wide toe cap



BRN



### BESTZIP S3

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Barton Action Leather                                              |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3 SRC                                                             |
| Size Range | EU 36-48 • UK3.5-13.0 • US 4.0-13.5<br>KOR 235-315 • JPN 22.5-31.5 |



BLK

### LX1100N AHX

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Leather                                                             |
| Outsole    | BASF PU/BASF PU                                                     |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Cambrella                                                           |
| Footbed    | SJ foam                                                             |
| Category   | S3S CI, FO, SR                                                      |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



BLK

### X1100N S3

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Nappa Action Leather                                                |
| Outsole    | PU/PU                                                               |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Cambrella                                                           |
| Footbed    | SJ foam                                                             |
| Category   | S3S CI, FO, SR                                                      |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



BLK

DBN



Solid 360-Degree  
Stitched around Outsole

### JACKMAN S3

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Crazy Horse Leather                                                |
| Outsole    | Rubber (NBR)                                                       |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3 FO, HRO, SR                                                     |
| Size Range | EU 36-48 • UK3.5-13.0 • US 4.0-13.5<br>KOR 235-315 • JPN 22.5-31.5 |



Extra wide toe cap



DBN

BLK

### BESTFIT S1P

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Nappa Action Leather                                               |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Cambrella                                                          |
| Footbed    | SJ foam                                                            |
| Category   | S1P SRC                                                            |
| Size Range | EU 36-48 • UK3.5-13.0 • US 4.0-13.5<br>KOR 235-315 • JPN 22.5-31.5 |



BLK

### LX1110 AHX

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Leather                                                             |
| Outsole    | BASF PU/BASF PU                                                     |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Cambrella                                                           |
| Footbed    | SJ foam                                                             |
| Category   | S3S CI, FO, SR                                                      |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



BLK

### X1110 S3

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Nappa Action Leather                                                |
| Outsole    | PU/PU                                                               |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Cambrella                                                           |
| Footbed    | SJ foam                                                             |
| Category   | S3S CI, FO, SR                                                      |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |





## MEDIUM APPLICATION

## CLASSIC



### CONSTRUBOY EW S3 MID

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Full Grain Leather                                                 |
| Outsole    | BASF PU/BASF PU                                                    |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3 CI, FO, SR, SC, LG                                              |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### BESTRUN S3

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Barton Action Leather                                              |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3 CI, FO, SR, SC, LG                                              |
| Size Range | EU 35-47 • UK3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### BESTRUN231 S3

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Barton Action Leather                                              |
| Outsole    | BASF PU/BASF PU                                                    |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3 SRC                                                             |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### BESTRUN METALFREE S3

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Barton Action Leather                                               |
| Outsole    | BASF PU/BASF PU                                                     |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ foam                                                             |
| Category   | S3S ESD, CI, FO, SR, SC, LG                                         |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### CONSTRUBOY EW S3 MID

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Full Grain Leather                                                 |
| Outsole    | BASF PU/BASF PU                                                    |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3 CI, FO, SR, SC, LG                                              |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### BESTBOY S3

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Barton Action Leather                                              |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3 CI, FO, SR, SC, LG                                              |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### BESTBOY231 S3

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Barton Action Leather                                              |
| Outsole    | BASF PU/BASF PU                                                    |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3 SRC                                                             |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



### BESTBOY METALFREE S3

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Barton Action Leather                                              |
| Outsole    | BASF PU/BASF PU                                                    |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3S ESD, CI, FO, SR, SC, LG                                        |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



## MEDIUM APPLICATION

## CLASSIC



### RENA S3

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Barton Action Leather                                               |
| Outsole    | Rubber (NBR)                                                        |
| Toecap     | Steel                                                               |
| Midsole    | Steel                                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ foam                                                             |
| Category   | S3 HI, CI, FO, HRO, SR                                              |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### AURA S3

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Nappa Action Leather                                                |
| Outsole    | PU/PU                                                               |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ foam                                                             |
| Category   | S3S ESD, FO, SR                                                     |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### SAFETYRUN S1P

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Barton Action Leather                                              |
| Outsole    | PU                                                                 |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ Eco                                                             |
| Category   | S1 P FO, SR                                                        |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |

### MANAGER S3

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Nappa Action Leather                                               |
| Outsole    | PU/PU                                                              |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Cambrella                                                          |
| Footbed    | SJ foam                                                            |
| Category   | S3S ESD, FO, SR                                                    |
| Size Range | EU 38-47 • UK5.0-12.0 • US 5.5-13.0<br>KOR 250-310 • JPN 24.0-31.0 |



BLK



Solid 360-Degree  
Stitched around Outsole

### LABOR S3

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Barton Action Leather                                               |
| Outsole    | Rubber (NBR)                                                        |
| Toecap     | Steel                                                               |
| Midsole    | Steel                                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ foam                                                             |
| Category   | S3 HI, CI, FO, HRO, SR                                              |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### EOS S3

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Nappa Action Leather                                                |
| Outsole    | PU/PU                                                               |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ foam                                                             |
| Category   | S3S ESD, FO, SR                                                     |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### SAFETYBOY S1P

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Barton Action Leather                                              |
| Outsole    | PU                                                                 |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ Eco                                                             |
| Category   | S1 P FO, SR                                                        |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |

### SAFETYSTAR S3

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Barton Action Leather                                              |
| Outsole    | PU                                                                 |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ Eco                                                             |
| Category   | S3 SRC                                                             |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



BLK



BLK



BLK



BLK



Solid 360-Degree  
Stitched around Outsole



BLK



BLK



BLK

# Safety with a twist

Play movie





## MEDIUM APPLICATION

## SPORTS



### CADOR S3 LOW TLS

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Synthetic Nubuck                                                   |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ Foam                                                            |
| Category   | S3 ESD, SRC                                                        |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |




### CADOR S3 LOW

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Synthetic Nubuck                                                   |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ Foam                                                            |
| Category   | S3 ESD, SRC                                                        |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### FLOW S3 LOW

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Synthetic Nubuck                                                   |
| Outsole    | PU/PU                                                              |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ Foam                                                            |
| Category   | S3 ESD, SRC                                                        |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### CADOR S3 MID TLS

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Synthetic Nubuck                                                   |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ Foam                                                            |
| Category   | S3 ESD, SRC                                                        |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### CADOR S3 MID

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Synthetic Nubuck                                                   |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ Foam                                                            |
| Category   | S3 ESD, SRC                                                        |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### FLOW S3 MID

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Synthetic Nubuck                                                   |
| Outsole    | PU/PU                                                              |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | 3D-Mesh                                                            |
| Footbed    | SJ Foam                                                            |
| Category   | S3 ESD, SRC                                                        |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### XPLORE S3

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Suede Leather                                                      |
| Outsole    | PU/Rubber (NBR)                                                    |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ Foam                                                            |
| Category   | S3S FO, HRO, SR                                                    |
| Size Range | EU 38-47 • UK5.0-12.0 • US 5.5-13.0<br>KOR 250-310 • JPN 24.0-31.0 |



BLK



BLK



032



BLK



BLK

## MEDIUM APPLICATION

## HIKING



### X2020P31 S3

### X200031 S3

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Suede Leather, Textile                                             |
| Outsole    | BASF PU/BASF PU                                                    |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3 SRC                                                             |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



### DESERT S1P

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Cotton                                                             |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Cotton                                                             |
| Footbed    | SJ Foam                                                            |
| Category   | S1P SRC                                                            |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |

BLK



BLK

### JUMPER31 S3

### CLIMBER31 S3

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Suede Leather, Textile                                              |
| Outsole    | BASF PU/BASF PU                                                     |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ foam                                                             |
| Category   | S3 SRC                                                              |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### RUSH S3

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Crazy Horse Leather, Textile                                       |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3 SRC                                                             |
| Size Range | EU 36-48 • UK3.5-13.0 • US 4.0-13.5<br>KOR 235-315 • JPN 22.5-31.5 |



BRN

CAM



## MEDIUM APPLICATION

## HIKING



### DAKAR EW S3 LEATHER

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Crazy Horse Leather                                                |
| Outsole    | BASF PU/BASF PU                                                    |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3 CI, FO, SR, SC, LG                                              |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### SAHARA S3

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Pull-up Leather, Textile                                           |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3 SRC                                                             |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



BLK

BRN



018

019



BLK

NAV

### DAKAR EW S3

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Crazy Horse Leather, Textile                                       |
| Outsole    | BASF PU/BASF PU                                                    |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3 CI, FO, SR, SC, LG                                              |
| Size Range | EU 35-48 • UK3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### DAKAR S3

|            |                                                                                                                                                     |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| Upper      | Crazy Horse Leather, Textile                                                                                                                        |
| Outsole    | PU/PU                                                                                                                                               |
| Toecap     | Steel                                                                                                                                               |
| Midsole    | Steel                                                                                                                                               |
| Lining     | Mesh suede                                                                                                                                          |
| Footbed    | SJ foam                                                                                                                                             |
| Category   | S3 SRC                                                                                                                                              |
| Size Range | 019: EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0<br>018: EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



### GOBI S1P

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Suede Leather                                                       |
| Outsole    | PU/PU                                                               |
| Toecap     | Steel                                                               |
| Midsole    | Steel                                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ foam                                                             |
| Category   | S1P SRC                                                             |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |

## MEDIUM APPLICATION

## SNEAKERS



### CERRO S3 MID

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Crazy Horse Leather                                                |
| Outsole    | Rubber (NBR)                                                       |
| Toecap     | Aluminium                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S3 SRC, ESD, HRO                                                   |
| Size Range | EU 36-48 • UK3.5-13.0 • US 4.0-13.5<br>KOR 235-315 • JPN 22.5-31.5 |



BLK

SND



## MEDIUM APPLICATION

## FOOD



BLK

### X0600 S3

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Nappa Action Leather                                               |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Cambrella                                                          |
| Footbed    | SJ foam                                                            |
| Category   | S3 SRC, CI                                                         |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



### ROCKET81 S1P

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Nubuck Action Leather                                              |
| Outsole    | Phylon/Rubber (NBR)                                                |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | S1 P SRC, HRO                                                      |
| Size Range | EU 38-48 • UK5.0-13.0 • US 5.5-13.5<br>KOR 250-315 • JPN 24.0-31.5 |



### GUSTO S2

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Nappa Action Leather                                                |
| Outsole    | PU/PU                                                               |
| Toecap     | Steel                                                               |
| Midsole    | N/A                                                                 |
| Lining     | Mesh                                                                |
| Footbed    | SJ foam                                                             |
| Category   | S2 SRC                                                              |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### POSEIDON S4

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | SJ PVC                                                             |
| Outsole    | PVC                                                                |
| Toecap     | Steel                                                              |
| Midsole    | N/A                                                                |
| Lining     | Tricot                                                             |
| Footbed    | N/A                                                                |
| Category   | S4 FO                                                              |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



WHT

### X0500 S2

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Nappa Action Leather                                                |
| Outsole    | PU/PU                                                               |
| Toecap     | Steel                                                               |
| Midsole    | N/A                                                                 |
| Lining     | Cambrella                                                           |
| Footbed    | SJ foam                                                             |
| Category   | S2 SRC                                                              |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### BESTLIGHT1

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Expanded EVA                                                       |
| Outsole    | EVA/Rubber (NBR)                                                   |
| Toecap     | N/A                                                                |
| Midsole    | N/A                                                                |
| Lining     | N/A                                                                |
| Footbed    | SJ Basic 2                                                         |
| Category   | OB SRC                                                             |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



### SAFETYCLOG SB

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Expanded EVA                                                        |
| Outsole    | EVA/Rubber (NBR)                                                    |
| Toecap     | Composite                                                           |
| Midsole    | N/A                                                                 |
| Lining     | N/A                                                                 |
| Footbed    | SJ foam                                                             |
| Category   | SB SRC, E                                                           |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



WHT

BLK



BLK

composite safety toe cap



BLK



WHT



WHT

## HEAVY APPLICATION

## HEAVY DUTY



NEW

### VESUVIO S3 MID

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Crazy Horse Leather                                                 |
| Outsole    | BASF PU/Rubber (NBR)                                                |
| Toecap     | Steel                                                               |
| Midsole    | Steel                                                               |
| Lining     | 3D-Mesh                                                             |
| Footbed    | SJ foam                                                             |
| Category   | S3 HI, CI, FO, HRO, SR, SC                                          |
| Size Range | EU 39-47 • UK 6.0-12.0 • US 6.5-13.0<br>KOR 255-310 • JPN 25.0-31.0 |



### X430 S3

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Leather                                                             |
| Outsole    | PU/Rubber (NBR)                                                     |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Membrane                                                            |
| Footbed    | SJ foam                                                             |
| Category   | S3 ESD, SRC, WR, CI, HRO                                            |
| Size Range | EU 36-50 • UK 3.5-14.0 • US 4.0-15.0<br>KOR 235-330 • JPN 22.5-33.0 |



NEW

### GORA S7S HIGH

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Abrasion Resistant Leather                                          |
| Outsole    | PU/Rubber (NBR)                                                     |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Membrane                                                            |
| Footbed    | SJ foam                                                             |
| Category   | S7S ESD, HI, CI, FO, HRO, SR, SC, LG                                |
| Size Range | EU 39-47 • UK 6.0-12.0 • US 6.5-13.0<br>KOR 255-310 • JPN 25.0-31.0 |



### X330 S3

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Leather                                                             |
| Outsole    | PU/Rubber (NBR)                                                     |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Membrane                                                            |
| Footbed    | SJ foam                                                             |
| Category   | S3 ESD, SRC, WR, CI, HRO                                            |
| Size Range | EU 36-48 • UK 3.5-13.0 • US 4.0-13.5<br>KOR 235-315 • JPN 22.5-31.5 |



DBN



BLK



BLK



BLK



## HEAVY APPLICATION

## HEAVY DUTY



053



BLK

zipper

CAM



BLK

### ULTIMA S3

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Crazy Horse Leather                                                 |
| Outsole    | PU/Rubber (NBR)                                                     |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ foam                                                             |
| Category   | S3S ESD, HI, CI, FO, HRO, SR, SC                                    |
| Size Range | EU 37-48 • UK 4.0-13.0 • US 4.5-13.5<br>KOR 240-315 • JPN 23.0-31.5 |



### ALTAR S3 HIGH

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Crazy Horse Leather                                                 |
| Outsole    | PU/Rubber (NBR)                                                     |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ foam                                                             |
| Category   | S3S ESD, HI, CI, FO, HRO, SR, SC, LG                                |
| Size Range | EU 36-48 • UK 3.5-13.0 • US 4.0-13.5<br>KOR 235-315 • JPN 22.5-31.5 |



### BASALT S7S

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Waterproof Pull-up Leather                                          |
| Outsole    | PU/Rubber (NBR)                                                     |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Membrane                                                            |
| Footbed    | SJ foam                                                             |
| Category   | S7S ESD, HI, CI, FO, HRO, SR, SC, LG                                |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



ANKLE PROTECTION

BLK



zipper

CAM



### HEKLA S3 MID

|            |                                                                   |
|------------|-------------------------------------------------------------------|
| Upper      | Full Grain Leather                                                |
| Outsole    | Rubber (NBR)                                                      |
| Toecap     | Steel                                                             |
| Midsole    | Steel                                                             |
| Lining     | Mesh                                                              |
| Footbed    | SJ foam                                                           |
| Category   | S3 HI, CI, FO, HRO, AN, SR, SC, LG                                |
| Size Range | EU 38-48 • UK 5.0-13.0 US 5.5-13.5<br>KOR 250-315 • JPN 24.0-31.5 |



### ALTAR S3 MID

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Crazy Horse Leather                                                 |
| Outsole    | PU/Rubber (NBR)                                                     |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ foam                                                             |
| Category   | S3S ESD, HI, CI, FO, HRO, SR, SC, LG                                |
| Size Range | EU 36-48 • UK 3.5-13.0 • US 4.0-13.5<br>KOR 235-315 • JPN 22.5-31.5 |





## HEAVY APPLICATION

## SEASONAL



BLK

### BESTBOOT2 S3

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Barton Action Leather                                              |
| Outsole    | PU/PU                                                              |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Cambrella                                                          |
| Footbed    | SJ Foam                                                            |
| Category   | S3 SRC                                                             |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



DBN

### BOREAS2 S3

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Pull-up Leather                                                     |
| Outsole    | PU/Rubber (NBR)                                                     |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Cambrella                                                           |
| Footbed    | SJ Foam                                                             |
| Category   | S3 SRC, HI, HRO                                                     |
| Size Range | EU 38-47 • UK 5.0-12.0 • US 5.5-13.0<br>KOR 250-310 • JPN 24.0-31.0 |



BLK

### HERCULES S5

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | SJ PVC                                                             |
| Outsole    | PVC                                                                |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Tricot                                                             |
| Footbed    | N/A                                                                |
| Category   | S5 FO                                                              |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



YEL

### APOLLO S5

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | SJ PVC                                                              |
| Outsole    | PVC                                                                 |
| Toecap     | Steel                                                               |
| Midsole    | Steel                                                               |
| Lining     | Tricot                                                              |
| Footbed    | N/A                                                                 |
| Category   | S5 SRA                                                              |
| Size Range | EU 38-47 • UK 5.0-12.0 • US 5.5-13.0<br>KOR 250-310 • JPN 24.0-31.0 |



DBN

### ALASKA C PRO

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Pull-up Action Leather                                             |
| Outsole    | Rubber (NBR)                                                       |
| Toecap     | Steel                                                              |
| Midsole    | Steel                                                              |
| Lining     | Cambrella                                                          |
| Footbed    | SJ foam                                                            |
| Category   | S3 FO, HRO, SR                                                     |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



Extra wide toe cap

Traditional  
Safety Jogger

## HEAVY APPLICATION

## SEASONAL



### LABOR WINTER EH SB

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Barton Action Leather                                               |
| Outsole    | Rubber (NBR)                                                        |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Teddy                                                               |
| Footbed    | Teddy                                                               |
| Category   | SB P, SRC, E, CI, FO, HRO, WPU                                      |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### LX1100N EH AH WINTER

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Leather                                                             |
| Outsole    | BASF PU/BASF PU                                                     |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Teddy                                                               |
| Footbed    | Teddy                                                               |
| Category   | SB E, CI, FO, PS, SR, WPA                                           |
| Size Range | EU 35-48 • UK 3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### X1100N79 SB

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Nappa Action Leather                                                |
| Outsole    | PU/PU                                                               |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Teddy                                                               |
| Footbed    | Teddy                                                               |
| Category   | SB E, CI, FO, PS, SR, WPA                                           |
| Size Range | EU 35-48 • UK 3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### BESTBOY252 S3

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Barton Action Leather                                               |
| Outsole    | PU/Rubber (NBR)                                                     |
| Toecap     | Steel                                                               |
| Midsole    | Steel                                                               |
| Lining     | Teddy                                                               |
| Footbed    | Teddy                                                               |
| Category   | S3 CI, FO, HRO, SR                                                  |
| Size Range | EU 35-48 • UK 3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### SAFETYBOY WINTER S1P

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Barton Action Leather                                               |
| Outsole    | PU                                                                  |
| Toecap     | Steel                                                               |
| Midsole    | Steel                                                               |
| Lining     | Teddy                                                               |
| Footbed    | Teddy                                                               |
| Category   | S1P SRC, CI                                                         |
| Size Range | EU 35-48 • UK 3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### NORDIC S3

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Abrasion Resistant Leather                                          |
| Outsole    | PU/TPU                                                              |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Warm lining                                                         |
| Footbed    | Warm lining                                                         |
| Category   | S3 SRC, CI                                                          |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



## HEAVY APPLICATION

## EH (ELECTRICAL HAZARD) 18KV



011

### DESERT-EH SB

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Cotton                                                              |
| Outsole    | PU/PU                                                               |
| Toecap     | Nano Carbon                                                         |
| Midsole    | Nano Carbon                                                         |
| Lining     | Cotton                                                              |
| Footbed    | SJ foam                                                             |
| Category   | SB P, SRC, E, FO, EH                                                |
| Size Range | EU 36-47 • UK 3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



BLK

### MILOS EH LOW SB

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Textile                                                             |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ Memory foam                                                      |
| Category   | SB E, FO, HRO, PS, SR                                               |
| Size Range | EU 35-48 • UK 3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



BLK

### AAK EH LOW SB

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Textile                                                             |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ Memory foam                                                      |
| Category   | SB E, FO, HRO, PS, SR                                               |
| Size Range | EU 35-48 • UK 3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



BLK

### ELGON EH LOW SB

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Synthetic Leather                                                   |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ Memory foam                                                      |
| Category   | SB E, HI, CI, FO, HRO, PS, SR, WPA                                  |
| Size Range | EU 35-48 • UK 3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |





## HEAVY APPLICATION

## EH (ELECTRICAL HAZARD) 18KV



BLK

### BESTBOY MF EH SB

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Barton Action Leather                                               |
| Outsole    | PU/PU                                                               |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ Foam                                                             |
| Category   | SB E, CI, FO, PS, SR, SC, WPA, LG                                   |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



BLK

### RENA EH SB

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Barton Action Leather                                               |
| Outsole    | Rubber (NBR)                                                        |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ Foam                                                             |
| Category   | SB P, SRC, E, HI, CI, FO, HRO, WPU, EH                              |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



BLK

### X430 EH SB

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Leather                                                            |
| Outsole    | PU/Rubber (NBR)                                                    |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Membrane                                                           |
| Footbed    | SJ Foam                                                            |
| Category   | SB P, SRC, WR, E, HI, CI, FO, HRO                                  |
| Size Range | EU 36-48 • UK3.5-13.0 • US 4.0-13.5<br>KOR 235-315 • JPN 22.5-31.5 |



858

858

### PLUTO EH SB MARS EH SB

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Crazy Horse Leather                                                |
| Outsole    | PU/TPU                                                             |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | SB P, SRC, E, FO, EH                                               |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



BLK

### BESTRUN MF EH SB

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Barton Action Leather                                               |
| Outsole    | PU/PU                                                               |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ Foam                                                             |
| Category   | SB E, CI, FO, PS, SR, SC, WPA, LG                                   |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



117

### JUMPER EH SB

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Textile, Suede Leather                                              |
| Outsole    | PU                                                                  |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ Foam                                                             |
| Category   | SB P, SRC, E, FO, EH                                                |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



BLK

### X330 EH SB

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Leather                                                            |
| Outsole    | PU/Rubber (NBR)                                                    |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Membrane                                                           |
| Footbed    | SJ Foam                                                            |
| Category   | SB P, SRC, WR, E, HI, CI, FO, HRO                                  |
| Size Range | EU 36-48 • UK3.5-13.0 • US 4.0-13.5<br>KOR 235-315 • JPN 22.5-31.5 |



018

019

### DAKAR EH SB

|            |                                                                                                                                                     |
|------------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| Upper      | Crazy Horse Leather, Textile                                                                                                                        |
| Outsole    | PU/PU                                                                                                                                               |
| Toecap     | Nano Carbon                                                                                                                                         |
| Midsole    | Anti-puncture Textile                                                                                                                               |
| Lining     | Mesh                                                                                                                                                |
| Footbed    | SJ foam                                                                                                                                             |
| Category   | SB P, SRC, E, FO, EH                                                                                                                                |
| Size Range | 019: EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0<br>018: EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



## HEAVY APPLICATION

## EH (ELECTRICAL HAZARD) 18KV



NEW

### LIGHTSTAR EH SB



BLK

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Textile                                                             |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ foam                                                             |
| Category   | SB E, HR0, PS, SR, SC                                               |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### GOBI EH LOW SB



BLK

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Suede Leather, Mesh                                                 |
| Outsole    | PU/PU                                                               |
| Toecap     | Nano Carbon                                                         |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ Foam                                                             |
| Category   | SB P, SRC, E, FO, EH                                                |
| Size Range | EU 35-48 • UK 3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |

### BERLIN EH OB



BLK

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Nappa Leather                                                       |
| Outsole    | PU/Rubber (NBR)                                                     |
| Toecap     | N/A                                                                 |
| Midsole    | N/A                                                                 |
| Lining     | Textile                                                             |
| Footbed    | SJ Foam                                                             |
| Category   | OB SRC, E, WRU, FO, EH                                              |
| Size Range | EU 35-48 • UK 3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



### LX1110 EH AHX



BLK

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Leather                                                             |
| Outsole    | BASF PU/BASF PU                                                     |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Cambrella                                                           |
| Footbed    | SJ Foam                                                             |
| Category   | SB E, CI, FO, PS, SR, WPA                                           |
| Size Range | EU 35-46 • UK 3.0-11.0 • US 3.0-12.0<br>KOR 230-300 • JPN 21.5-30.0 |



BLK

BRN

### DAKAR EW EH SB

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Crazy Horse Leather, Textile                                        |
| Outsole    | BASF PU/BASF PU                                                     |
| Toecap     | Nano Carbon                                                         |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Mesh                                                                |
| Footbed    | SJ foam                                                             |
| Category   | SB E, CI, FO, PS, SR, SC, WPA, LG                                   |
| Size Range | EU 35-48 • UK 3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



Extra wide toe cap



### FLOW EH LOW SB



BLK

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Mesh                                                                |
| Outsole    | PU/PU                                                               |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | 3D-Mesh                                                             |
| Footbed    | SJ Foam                                                             |
| Category   | SB P, SRC, E, FO, EH                                                |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### LABOR WINTER EH SB



BLK

warm lining

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Barton Action Leather                                               |
| Outsole    | Rubber (NBR)                                                        |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Teddy                                                               |
| Footbed    | Teddy                                                               |
| Category   | SB P, SRC, E, CI, FO, HR0, WPU                                      |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### LX1100N EH AH WINTER



BLK

warm lining

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Leather                                                             |
| Outsole    | BASF PU/BASF PU                                                     |
| Toecap     | Composite                                                           |
| Midsole    | Anti-puncture Textile                                               |
| Lining     | Teddy                                                               |
| Footbed    | Teddy                                                               |
| Category   | SB E, CI, FO, PS, SR, WPA                                           |
| Size Range | EU 35-48 • UK 3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |





**SAFETY  
JOGGER**  
**TIGER GRIP**



## OVERSHOES

As the European market leader in slip-resistant solutions and protective overshoes, Tiger Grip's mission is to protect people who move around on surfaces that present risks of slipping, impacts or other hazards. Tiger Grip overshoes are engineered for everyone who wants to offer visitors or employees high-quality foot protection in many different professional settings.

Maintain  
your  
**grip?**  
**EASY!**







## VISITOR

|                       |                                                                                                                                                   |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Standard</b>       | CE standard EN ISO 20345:2011<br>ASTM F2413:2018                                                                                                  |
| <b>Slip resistant</b> | Tiger-grip® SRC                                                                                                                                   |
| <b>Safety toe cap</b> | Aluminium/titanium                                                                                                                                |
| <b>Material</b>       | Rubber                                                                                                                                            |
| <b>Outsole</b>        | Rubber                                                                                                                                            |
| <b>Maintenance</b>    | Hand washable, dry naturally use ≥ -20°C                                                                                                          |
| <b>Size Range</b>     | S_EU34-38 • UK2.0-5.0 • US2.0-5.5 • CM22-24<br>M_EU39-43 • UK6.0-9.0 • US6.5-10.0 • CM25-28<br>L_EU44-48 • UK10.0-13.0 • US10.5-13.5 • CM28.5-33+ |



## VISITORMF

|                       |                                                                                                                                                   |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Standard</b>       | CE standard EN ISO 20345:2011<br>ASTM F2413:2018                                                                                                  |
| <b>Slip resistant</b> | Tiger-grip® SRC                                                                                                                                   |
| <b>Safety toe cap</b> | Composite                                                                                                                                         |
| <b>Material</b>       | Rubber                                                                                                                                            |
| <b>Outsole</b>        | Rubber                                                                                                                                            |
| <b>Maintenance</b>    | Hand washable, dry naturally use ≥ -20°C                                                                                                          |
| <b>Size Range</b>     | S_EU34-38 • UK2.0-5.0 • US2.0-5.5 • CM22-24<br>M_EU39-43 • UK6.0-9.0 • US6.5-10.0 • CM25-28<br>L_EU44-48 • UK10.0-13.0 • US10.5-13.5 • CM28.5-33+ |



## VISITORP

|                       |                                                                                                                                                                                                      |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Standard</b>       | CE standard EN ISO 12378<br>ASTM F2413:2018                                                                                                                                                          |
| <b>Slip resistant</b> | Tiger-grip® SRC                                                                                                                                                                                      |
| <b>Safety toe cap</b> | Aluminium/titanium                                                                                                                                                                                   |
| <b>Material</b>       | Rubber + multidirectional straps                                                                                                                                                                     |
| <b>Outsole</b>        | Rubber                                                                                                                                                                                               |
| <b>Maintenance</b>    | Hand washable, dry naturally use ≥ -20°C                                                                                                                                                             |
| <b>Size Range</b>     | S_EU34-37 • UK2.0-4.0 • US2.0-4.5 • CM22-23<br>M_EU38-42 • UK5.0-8.0 • US5.5-9.0 • CM24-27<br>L_EU43-45 • UK9.0-10.5 • US10.0-11.5 • CM28-29.5+<br>XL_EU46-48 • UK11.0-13.0 • US12.0-13.5 • CM30-33+ |



## VISITORI

|                       |                                                                                                                                                                                                      |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Standard</b>       | CE standard EN ISO 12378 / EN ISO 12568<br>ASTM F2413:2018                                                                                                                                           |
| <b>Slip resistant</b> | Tiger-grip® SRC                                                                                                                                                                                      |
| <b>Safety toe cap</b> | Aluminium/titanium                                                                                                                                                                                   |
| <b>Material</b>       | Rubber + multidirectional straps                                                                                                                                                                     |
| <b>Midsole</b>        | Steel                                                                                                                                                                                                |
| <b>Outsole</b>        | Rubber                                                                                                                                                                                               |
| <b>Maintenance</b>    | Hand washable, dry naturally use ≥ -20°C                                                                                                                                                             |
| <b>Size Range</b>     | S_EU34-37 • UK2.0-4.0 • US2.0-4.5 • CM22-23<br>M_EU38-42 • UK5.0-8.0 • US5.5-9.0 • CM24-27<br>L_EU43-45 • UK9.0-10.5 • US10.0-11.5 • CM28-29.5+<br>XL_EU46-48 • UK11.0-13.0 • US12.0-13.5 • CM30-33+ |



## VISITORC

|                       |                                                                                                                                                   |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Standard</b>       | CE standard EN ISO 20345:2011<br>ASTM F2413:2018                                                                                                  |
| <b>Slip resistant</b> | Tiger-grip® SRC                                                                                                                                   |
| <b>Safety toe cap</b> | Aluminium/titanium                                                                                                                                |
| <b>Material</b>       | Rubber + multidirectional straps                                                                                                                  |
| <b>Outsole</b>        | Rubber                                                                                                                                            |
| <b>Maintenance</b>    | Hand washable, dry naturally use ≥ -20°C                                                                                                          |
| <b>Size Range</b>     | S_EU34-38 • UK2.0-5.0 • US2.0-5.5 • CM22-24<br>M_EU39-43 • UK6.0-9.0 • US6.5-10.0 • CM25-28<br>L_EU44-48 • UK10.0-13.0 • US10.5-13.5 • CM28.5-33+ |

## ANTISLIP SAFETY



### EASYGRIP

|                       |                                                                                                                                                                                                     |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Standard</b>       | CE standard EN ISO 20345:2011<br>ASTM F2413:2018                                                                                                                                                    |
| <b>Slip resistant</b> | Tiger-grip® SRC                                                                                                                                                                                     |
| <b>Material</b>       | 100% Rubber                                                                                                                                                                                         |
| <b>Maintenance</b>    | Hand washable, dry naturally use ≥ -20C°                                                                                                                                                            |
| <b>Size Range</b>     | S_EU34-37 • UK2.0-4.0 • US2.0-4.5 • CM22-23<br>M_EU38-42 • UK5.0-8.0 • US5.5-9.0 • CM24-27<br>L_EU42-45 • UK8.0-10.5 • US9.0-11.5 • CM27-29.5+<br>XL_EU46-48 • UK11.0-13.0 • US12.0-13.5 • CM30-33+ |



### EASYMAX

|                       |                                                                                                                                                                                                                                                          |
|-----------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Standard</b>       | CE standard EN ISO 20345:2011<br>ASTM F2413:2018                                                                                                                                                                                                         |
| <b>Slip resistant</b> | Tiger-grip® SRC                                                                                                                                                                                                                                          |
| <b>Material</b>       | 100% Rubber                                                                                                                                                                                                                                              |
| <b>Maintenance</b>    | Hand washable, dry naturally use ≥ -20C°                                                                                                                                                                                                                 |
| <b>Size Range</b>     | S_EU34-37 • UK2.0-4.0 • US2.0-4.5 • CM22-23<br>M_EU38-40 • UK5.0-7.0 • US5.5-7.5 • CM24-25.5<br>L_EU41-42 • UK7.5-8.0 • US8.5-9.0 • CM26.5-27<br>XL_EU43-45 • UK9.0-10.5 • US10.0-11.5 • CM28-29.5<br>XXL_EU46-48 • UK11.0-13.0 • US12.0-13.5 • CM30-33+ |

## ANTISLIP SAFETY



### CITYGRIP

|                       |                                                                                                                                                   |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Standard</b>       | CE standard EN ISO 20344<br>SATRA TM 144:2011                                                                                                     |
| <b>Slip resistant</b> | Tiger-grip® SRC                                                                                                                                   |
| <b>Material</b>       | Rubber+spikes in steel                                                                                                                            |
| <b>Maintenance</b>    | Hand washable, dry naturally use ≥ -20C°                                                                                                          |
| <b>Size Range</b>     | S_EU34-38 • UK2.0-5.0 • US2.0-5.5 • CM22-24<br>M_EU39-43 • UK6.0-9.0 • US6.5-10.0 • CM25-28<br>L_EU44-48 • UK10.0-13.0 • US10.5-13.5 • CM28.5-33+ |

**SAFETY  
JOGGER**  
TACTICAL

# TACTICAL

Comfort, durability and protection are key components of any tactical collection. Safety Jogger offers a wide variety of tactical boots that meet and exceed those demanding requirements and enhance performances in the field. This footwear is designed to help you excel in any tactical operation.



## SECURITY



BLK

### DRAGON S3

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Textile, Waterproof Leather                                         |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                                 |
| <b>Toecap</b>     | Nano carbon                                                         |
| <b>Midsole</b>    | Nonwoven                                                            |
| <b>Lining</b>     | Mesh                                                                |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Category</b>   | S3 ESD, SRC                                                         |
| <b>Size Range</b> | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



BLK

### KOMODO S3

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Textile, Waterproof Leather                                         |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                                 |
| <b>Toecap</b>     | Nano carbon                                                         |
| <b>Midsole</b>    | Nonwoven                                                            |
| <b>Lining</b>     | Mesh                                                                |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Category</b>   | S3 ESD, SRC                                                         |
| <b>Size Range</b> | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



## LAW ENFORCEMENT



### SHARK S3

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Waterproof Leather                                                  |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Toecap     | Nano carbon                                                         |
| Midsole    | Nonwoven                                                            |
| Lining     | Membrane, Mesh                                                      |
| Footbed    | SJ foam                                                             |
| Category   | S3 ESD, SRC, WR                                                     |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



### TACTIC OB

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Nappa Action Leather, Textile                                      |
| Outsole    | Rubber (NBR)                                                       |
| Toecap     | N/A                                                                |
| Midsole    | N/A                                                                |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | OB SRA, CI, FO, HRO                                                |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



### DUNE OB

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Suede Leather, Textile                                             |
| Outsole    | Rubber (NBR)                                                       |
| Toecap     | N/A                                                                |
| Midsole    | N/A                                                                |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | OB SRA, FO, HRO                                                    |
| Size Range | EU 38-48 • UK5.0-13.0 • US 5.5-13.5<br>KOR 250-315 • JPN 24.0-31.5 |



### TROOPER S3

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Waterproof Leather                                                 |
| Outsole    | Phylon/Rubber (NBR)                                                |
| Toecap     | Composite                                                          |
| Midsole    | Anti-puncture Textile                                              |
| Lining     | Membrane                                                           |
| Footbed    | SJ foam                                                            |
| Category   | S3 SRC, WR, HRO                                                    |
| Size Range | EU 36-48 • UK3.5-13.0 • US 4.0-13.5<br>KOR 235-315 • JPN 22.5-31.5 |



NEW



### TACTIC LOW OB

|            |                                                                    |
|------------|--------------------------------------------------------------------|
| Upper      | Nappa Action Leather, Textile                                      |
| Outsole    | Rubber (NBR)                                                       |
| Toecap     | N/A                                                                |
| Midsole    | N/A                                                                |
| Lining     | Mesh                                                               |
| Footbed    | SJ foam                                                            |
| Category   | OB E, HI, CI, FO, HRO, SR, LG                                      |
| Size Range | EU 36-47 • UK3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |





# HEAD PROTECTION

Play movie





## HEARING PROTECTION



### ARUSHA 200PCS

|                   |                                       |
|-------------------|---------------------------------------|
| <b>Material</b>   | Polyurethane foam - Anti allergic     |
| <b>Size range</b> | EU UNI                                |
| <b>Norms</b>      | EN 352-2:2003<br>SNR:37dB<br>NRR:32dB |

200prs/Box  
2000prs=10Box/Cartron



### ARUSHA CORDED 100PCS

|                   |                                       |
|-------------------|---------------------------------------|
| <b>Material</b>   | Polyurethane foam - Anti allergic     |
| <b>Size range</b> | EU UNI                                |
| <b>Norms</b>      | EN 352-2:2003<br>SNR:37dB<br>NRR:32dB |

100prs/Box  
1000prs=10Box/Cartron



### ARUSHA REFILL 1000PC=500pairs

|                   |                                       |
|-------------------|---------------------------------------|
| <b>Material</b>   | Polyurethane foam - Anti allergic     |
| <b>Size range</b> | EU UNI                                |
| <b>Norms</b>      | EN 352-2:2020<br>SNR:37dB<br>NRR:32dB |



### MADURU CORDED 50PCS

|                   |                                       |
|-------------------|---------------------------------------|
| <b>Material</b>   | Textile - TPR                         |
| <b>Size range</b> | EU UNI                                |
| <b>Norms</b>      | EN 352-2:2020<br>SNR:32dB<br>NRR:26dB |



### ARUSHA DISPENSER

|                   |                  |
|-------------------|------------------|
| <b>Material</b>   | Polyethylene/ABS |
| <b>Size range</b> | EU UNI           |

41

## RESPIRATORY MASKS



### STORA P2

|                      |                                                  |
|----------------------|--------------------------------------------------|
| <b>Headband</b>      | Textile                                          |
| <b>Body</b>          | Polyester+non-woven fabric<br>+melt-blown fabric |
| <b>Valve</b>         | N/A                                              |
| <b>Sealing</b>       | N/A                                              |
| <b>Lock</b>          | Polyethylene                                     |
| <b>Size range</b>    | EN UNI                                           |
| <b>Sample weight</b> | 0.011 kg                                         |
| <b>Norms</b>         | BS EN 149:2001+A1:2009                           |

200pcs=10box/Cartron  
10pcs of masks in a polybag  
2 polybag / box



### STORA V P2

|                      |                                                  |
|----------------------|--------------------------------------------------|
| <b>Headband</b>      | Textile                                          |
| <b>Body</b>          | Polyester+non-woven fabric<br>+melt-blown fabric |
| <b>Valve</b>         | Polyamide                                        |
| <b>Sealing</b>       | N/A                                              |
| <b>Lock</b>          | Polyethylene                                     |
| <b>Size range</b>    | EN UNI                                           |
| <b>Sample weight</b> | 0.014 kg                                         |
| <b>Norms</b>         | BS EN 149:2001+A1:2009                           |

100pcs=10box/Cartron  
10 masks in a polybag  
1 polybag / box

## HEARING PROTECTION



### ETOSHA I

|            |               |
|------------|---------------|
| Shell      | Polyethylene  |
| Headband   | Polyethylene  |
| Cushions   | PVC           |
| Foam       | Polyester     |
| Size range | EU UNI        |
| Norms      | EN 352-1:2003 |
|            | SNR:29dB      |
|            | NRR:22dB      |



### ETOSHA II

|            |                  |
|------------|------------------|
| Shell      | ABS              |
| Headband   | Steel wire + PVC |
| Cushions   | PVC              |
| Foam       | Polyethylene     |
| Size range | EU UNI           |
| Norms      | EN 352-1:2003    |
|            | SNR:31dB         |



### ETOSHAI DETACHABLE

|            |               |
|------------|---------------|
| Shell      | ABS           |
| Headband   | Metal         |
| Cushions   | PVC           |
| Foam       | Polyethylene  |
| Size range | EU UNI        |
| Norms      | EN 352-1:2003 |
|            | SNR:28dB      |

## HEAD PROTECTION



### KANHA L CHINSTRAP

|                |                     |
|----------------|---------------------|
| Shell          | HDPE                |
| Headband       | Polyethylene        |
| Liner strip    | Textile             |
| Ratchet        | Polyethylene        |
| Sweat absorber | Microfibre          |
| Chin strap     | Textile             |
| Size range     | EN UNI              |
| Norms          | EN 397:2012+A1:2012 |



### KANHA S CHINSTRAP

|                |                     |
|----------------|---------------------|
| Shell          | HDPE                |
| Headband       | Polyethylene        |
| Liner strip    | Polyethylene        |
| Ratchet        | N/A                 |
| Sweat absorber | Microfibre          |
| Chin strap     | Textile             |
| Size range     | EN UNI              |
| Norms          | EN 397:2012+A1:2012 |

## HEAD PROTECTION



### AJUSCO CHINSTRAP

|                |                                                              |
|----------------|--------------------------------------------------------------|
| Shell          | ABS                                                          |
| Headband       | Polyethylene                                                 |
| Liner strip    | Textile                                                      |
| Ratchet        | Polyethylene                                                 |
| Sweat absorber | Microfibre                                                   |
| Chin strap     | Textile                                                      |
| Size range     | EN UNI                                                       |
| Norms          | EN 397:2012+A1:2012<br>ANSI/ISEA Z89.1-14<br>Type 1, class C |

## EYEWEAR



### YOHO

|                 |                                                                                                |
|-----------------|------------------------------------------------------------------------------------------------|
| Lenses          | Polycarbonate                                                                                  |
| Frame           | N/A                                                                                            |
| Temples         | Polycarbonate +TPR                                                                             |
| Nose Pads       | TPR                                                                                            |
| Safety standard | *F-Impact with a small object travelling at 45 meters per second,<br>*OF2-Optical Filter 2-1,2 |
| Size range      | EN UNI                                                                                         |
| Norms           | EN 166:2001                                                                                    |

100pcs=10box/Carton  
Pack individual polybag 10Pcs/Box



### YOHO SUN SPECTACLE

|                 |                                                                                                |
|-----------------|------------------------------------------------------------------------------------------------|
| Lenses          | Polycarbonate                                                                                  |
| Frame           | N/A                                                                                            |
| Temples         | Polycarbonate +TPR                                                                             |
| Nose Pads       | TPR                                                                                            |
| Safety standard | *F-Impact with a small object travelling at 45 meters per second,<br>*OF5-Optical Filter 5-2,5 |
| Size range      | EN UNI                                                                                         |
| Norms           | EN 166:2001                                                                                    |

100pcs=10box/Carton  
Pack individual polybag 10Pcs/Box



### TSAVO

|                  |                                                                                                |
|------------------|------------------------------------------------------------------------------------------------|
| Lenses           | Polycarbonate                                                                                  |
| Frame            | Polycarbonate                                                                                  |
| Temples          | Polycarbonate +TPR                                                                             |
| Removable Gasket | Nylon + EVA                                                                                    |
| Safety standard  | *F-Impact with a small object travelling at 45 meters per second,<br>*OF2-Optical Filter 2-1,2 |
| Size range       | EN UNI                                                                                         |
| Norms            | EN 16321-1:2022                                                                                |

100pcs=10box/Carton  
Pack individual polybag 10Pcs/Box



### TSAVO SUN

|                  |                                                                                                |
|------------------|------------------------------------------------------------------------------------------------|
| Lenses           | Polycarbonate                                                                                  |
| Frame            | Polycarbonate                                                                                  |
| Temples          | Polycarbonate +TPR                                                                             |
| Removable Gasket | Nylon + EVA                                                                                    |
| Safety standard  | *F-Impact with a small object travelling at 45 meters per second,<br>*OF5-Optical Filter 5-2,5 |
| Size range       | EN UNI                                                                                         |
| Norms            | EN 16321-1:2022                                                                                |

100pcs=10box/Carton  
Pack individual polybag 10Pcs/Box



## EYEWEAR



### PALO

|                        |                                                                                                                                           |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Lenses</b>          | Polycarbonate                                                                                                                             |
| <b>Frame</b>           | Nylon/TPE, Steel, TPR                                                                                                                     |
| <b>Temples</b>         | Polycarbonate                                                                                                                             |
| <b>Safety standard</b> | *Protection against high-speed particles at low energy impact at extremes of temperature (CT)<br>*Optical class 1<br>*Optical Filter U1,2 |
| <b>Norms</b>           | EN ISO 16321-1:2022                                                                                                                       |

100pcs=10box/Carton  
Pack individual polybag 10Pcs/Box



### YALA

|                        |                                                                                                                                     |
|------------------------|-------------------------------------------------------------------------------------------------------------------------------------|
| <b>Lenses</b>          | Polycarbonate                                                                                                                       |
| <b>Frame</b>           | TPR, Polycarbonate, Steel, Polyamide                                                                                                |
| <b>Temples</b>         | Polycarbonate                                                                                                                       |
| <b>Safety standard</b> | *Protection against high speed particles at extremes of temperature - low energy (FT)<br>*Optical Filter 2C-1,2<br>*Optical class 1 |
| <b>Norms</b>           | EN 16321-1:2022                                                                                                                     |

100pcs=10box/Carton  
Pack individual polybag 10Pcs/Box



### VIRUNGA

|                        |                                                                                                |
|------------------------|------------------------------------------------------------------------------------------------|
| <b>Lenses</b>          | Polycarbonate                                                                                  |
| <b>Frame</b>           | N/A                                                                                            |
| <b>Temples</b>         | Polycarbonate                                                                                  |
| <b>Safety standard</b> | *F-Impact with a small object travelling at 45 meters per second,<br>*OF2-Optical Filter 2-1,2 |
| <b>Norms</b>           | EN 166:2001                                                                                    |

100pcs=10box/Carton  
Pack individual polybag 10Pcs/Box



### SAREK

|                        |                                                                                                                                                                     |
|------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Headband</b>        | Elastic Nylon                                                                                                                                                       |
| <b>Lenses</b>          | Polycarbonate                                                                                                                                                       |
| <b>Frame</b>           | TPR                                                                                                                                                                 |
| <b>Temples</b>         | N/A                                                                                                                                                                 |
| <b>Safety standard</b> | *F-Impact with a small object travelling at 45 meters per second,<br>B-Impact with a small object travelling at 120 meters per second,<br>*OF2-Optical Filter 2-1,2 |
| <b>Size range</b>      | EU UNI                                                                                                                                                              |
| <b>Norms</b>           | EN 16321-1:2022                                                                                                                                                     |

60pcs=6box/Carton  
Pack individual polybag 10Pcs/Box



### PALO SUN

|                        |                                                                                                                                          |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Lenses</b>          | Polycarbonate                                                                                                                            |
| <b>Frame</b>           | Nylon/TPE, Steel, TPR                                                                                                                    |
| <b>Temples</b>         | Polycarbonate                                                                                                                            |
| <b>Safety standard</b> | *Protection against high-speed particles at low energy impact at extremes of temperature (CT)<br>*Optical class 1<br>*Optical Filter GL2 |
| <b>Norms</b>           | EN ISO 16321-1:2022                                                                                                                      |

100pcs=10box/Carton  
Pack individual polybag 10Pcs/Box



### YALA SUN

|                        |                                                                                                                                    |
|------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| <b>Lenses</b>          | Polycarbonate                                                                                                                      |
| <b>Frame</b>           | TPR, Polycarbonate, Steel, Polyamide                                                                                               |
| <b>Temples</b>         | Polycarbonate                                                                                                                      |
| <b>Safety standard</b> | *Protection against high speed particles at extremes of temperature - low energy (FT)<br>*Optical Filter 5-2,5<br>*Optical class 1 |
| <b>Norms</b>           | EN 16321-1:2022                                                                                                                    |

100pcs=10box/Carton  
Pack individual polybag 10Pcs/Box



### VIRUNGA COVER

|                        |                                                                                                |
|------------------------|------------------------------------------------------------------------------------------------|
| <b>Lenses</b>          | Polycarbonate                                                                                  |
| <b>Frame</b>           | Polycarbonate                                                                                  |
| <b>Temples</b>         | Polycarbonate                                                                                  |
| <b>Safety standard</b> | *F-Impact with a small object travelling at 45 meters per second,<br>*OF2-Optical Filter 2-1,2 |
| <b>Norms</b>           | EN 16321-1:2022                                                                                |

100pcs=10box/Carton  
Pack individual polybag 10Pcs/Box







# GLOVE



## GLOVES



### PROSHIELD 4X42F

ANSI/ISEA-105



1 PACKS

- Ultra-high level of cut resistance with a fully wrist protection
- Extreme dexterity due to the 15 gauge lining
- Anti cut level 5/F
- Sizes 7,8,9,10 and 11

\*TDM - 100 test



### PROTECTOR 4X44C

ANSI/ISEA-105



BULK

- HPPE liner
- 1st layer in blue nitrile
- 2nd layer in black sandy nitrile
- Anti cut level 5/C
- Sizes 7, 8, 9, 10 and 11

\*TDM - 100 test



### ALLFLEX 4131A

ANSI/ISEA-105



BULK

- Nylon/spandex glove
- PU-nitrile micro foam coating
- Sizes 7, 8, 9, 10 and 11



### SUPERPRO 4121X

ANSI/ISEA-105



BULK

- Polyester glove
- Black nitrile coating
- Oil resistant
- Sizes 7, 8, 9, 10 and 11



### PROCUT 4X42D

ANSI/ISEA-105



1 PACKS

- High level of cut resistance with a fully wrist protection
- Extreme dexterity due to the 18 gauge lining
- Anti cut level 5/D
- Sizes 7, 8, 9, 10 and 11

\*TDM - 100 test



### SHIELD 4X43C

ANSI/ISEA-105



BULK

- HPPE liner
- Polyurethane grip
- Anti cut level 5/C
- Sizes 7, 8, 9, 10 and 11

\*TDM - 100 test



### CONSTRUCTO 3243X

ANSI/ISEA-105



BULK

- Cotton/polyester glove
- Wrinkled latex grip
- Extremely flexible and solid
- Sizes 7, 8, 9, 10 and 11



### MULTITASK 4131X

ANSI/ISEA-105



BULK

- Polyester glove
- PU coating
- Oil resistant
- Available in black and white
- Sizes 7, 8, 9, 10 and 11



## GLOVES



TOUCHSCREEN GLOVE

### PROIMPACTS 4X42CP



- Anti Impact and cut resistant glove.
- HPPE liner.
- Nitrile Foam palm coating.
- High visibility color Strong TPR anti impact protection on back.
- Oil resistance and Repellency.
- Size 7, 8, 9, 10, 11



TOUCHSCREEN GLOVE

### ALLFLEXDOT 4131A



- Polyester glove
- Nitrile coating
- Extraordinary grip
- Extremely flexible and solid
- Sizes 7, 8, 9, 10 and 11



## ECO GLOVES



TOUCHSCREEN GLOVE

### ECO PROCUT 4X42D



BULK

- High cut resistance
- High abrasion resistance
- Excellent dexterity
- Latex free
- Size 6, 7, 8, 9, 10, 11, 12



TOUCHSCREEN GLOVE

### ECO PROSHIELD 4X42F



BULK

- Extreme cut resistance
- High abrasion resistance
- High dexterity
- Silicone free
- Size 6, 7, 8, 9, 10, 11, 12



### ECO PROTECTOR 4X44C



BULK

- Water repellent
- All-round protection
- High abrasion resistance
- High cut resistance
- Oil resistant
- Latex free
- Size 7, 8, 9, 10, 11, 12



TOUCHSCREEN GLOVE

### ECO ALLFLEXDOT 4X31A



BULK

- High abrasion resistance
- Extraordinary grip
- Touchscreen compatible
- Size 6, 7, 8, 9, 10, 11, 12



### ECO PRODRY 2131X



BULK

- Water repellent
- Double layer coating
- High dexterity
- Extraordinary grip
- Size 7, 8, 9, 10, 11, 12











## Even the best shoes won't deliver on their promised comfort if you don't wear the right socks

Did you know that feet have the highest density of sweat glands? This helps our bodies to cool down, but can also lead to wet, uncomfortable feet and skin problems such as blisters and athlete's foot. The **Safety Jogger Bamboo Sock** offers a solution to these problems with the following benefits:

- ✓ Eco friendly
- ✓ Sweat absorbent
- ✓ Antibacterial
- ✓ Thermoregulating
- ✓ Soft and hypoallergenic
- ✓ A perfect fit

### Elastane content

Offers light compression to reduce foot swelling, especially during long workdays.

### Breathable design

Thin, open knit allows warm, humid air to escape, enhancing airflow and comfort.

### Raised heel area

Reduces friction and pressure points at the heel.

### Terry loops

Act as cushions to reduce pressure while standing or walking.



### Terry cloth structure

Absorbs moisture effectively to keep your feet dry.

### Damping cushion

Strategically placed at the instep to ease pressure from tight shoes

### Dense terry cloth structure at the tip

Eases pressure and discomfort for those wearing safety shoes with toe caps.



## ACCESSORIES



### SJ BAMBOO SOCK

2 PAIRS PER PACK  
2 KINDS OF CARTON PACKAGE  
SOLID SIZE 60PAIRS PER CARTON  
MIXED SIZE 60PAIRS PER CARTON  
3 SIZES IN 1

|          |                                                                                                                                                     |
|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------|
| Material | 77% bamboo fiber - 3% polyamide fiber<br>3% spandex - 17% polyester                                                                                 |
| Sizes    | EU 38/40 - 41/43 - 44/46 - 47/48<br>UK 5/7 - 7.5/9 - 10/11 - 12/13<br>US 5.5/7.5 - 8/10 - 10.5/12 - 13/13.5<br>CM 24/25.5 - 26/27 - 28/30 - 31/31.5 |



### SJSOCK2

3 PAIRS PER PACK  
150 PAIRS PER CARTON  
4 SIZES IN 1

|          |                                                                             |
|----------|-----------------------------------------------------------------------------|
| Material | 80% cotton - 18% polyamide - 2% elastan                                     |
| Sizes    | EU 39/42 - 43/47<br>UK 6/8 - 9/12<br>US 6.5/9 - 10/13<br>CM 25.5/27 - 28/31 |



### SJCOMFORT

48 PAIRS PER SIZE/CARTON

|                |                                                                                                                                                          |
|----------------|----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Specifications | Extra comfortable heel support<br>Ultra high ergonomic comfort<br>Air breathability technology<br>Arch support<br>Coolmax®                               |
| Sizes          | EU 36/38 - 39/41 - 42/44 - 45/47<br>UK 3.5/5 - 6/7 - 8/10 - 10.5/12<br>US 4/5.5 - 6.5/7.5 - 9/10.5 - 11.5/13<br>CM 23.5/25 - 25.5/26 - 27/28.5 - 29.5/31 |



COMFORT  
FIT



EXTREMELY  
LIGHT



ANTI-  
BACTERIAL



EFFICIENT  
CUSHIONING



SUPER  
BREATHABLE



INSTANT  
DRY



### SJJACKETT

|          |       |
|----------|-------|
| Material | Nylon |
| Sizes    | XL    |

|           |                                                       |
|-----------|-------------------------------------------------------|
| GLOVES    | 120 pairs in export carton<br>per size, per model.    |
| SJSOCK2   | single package per<br>3 pairs - 150 pairs per carton. |
| SJCOMFORT | 48 pairs per carton.                                  |





**SAFETY  
JOGGER**  
PROFESSIONAL



## LIGHT

### APPLICATION

Light application footwear is mainly used on even and dry floors with a limited risk of contact with liquids.



## MEDIUM

### APPLICATION

Medium application footwear is engineered for dry and wet floors in an indoor environment.



## HEAVY

### APPLICATION

For our professional collection, heavy application means that this type of footwear has special features and can be worn in special areas. More specifically, these shoes and clogs meet special cleaning needs, such as being machine washable or autoclavable.



## The new standard for occupational footwear explained - EN ISO 20347:2022

Standards for PPE products are regularly reviewed and adapted when necessary. This is also the case for EN ISO 20347. Until April 2022, the 2012 version of the standard was in place. From then on, the updated 2022 standard came into effect.

Certificates do not expire when a standard is updated. This means the certificates of all shoes certified to EN ISO 20347:2012 remain valid until their expiration date (which is 5 years from the date of issue).

|                                                                                   |                                                          | CLASS 1<br>made from leather, textiles<br>or synthetic materials                  |                                                                                   |                                                                                   |                                                                                     |                                                                                      |                                                                                     |                                                                                       |                                                                                       | CLASS 2<br>made from rubber or polymeric<br>materials                               |                                                                                       |                                                                                       |                                                                                       |
|-----------------------------------------------------------------------------------|----------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
|                                                                                   |                                                          | OB                                                                                | O1                                                                                | O2                                                                                | O3                                                                                  | O3S                                                                                  | O6                                                                                  | O7                                                                                    | O7S                                                                                   | OB                                                                                  | O4                                                                                    | O5                                                                                    | O5S                                                                                   |
|  | Basic slip resistance<br>(ceramic floor + soap solution) |  |  |  |    |    |  |    |    |  |    |    |    |
|  | Closed heel                                              |                                                                                   |  |  |    |    |  |    |    |                                                                                     |    |    |    |
| A                                                                                 | Antistatic                                               |                                                                                   |  |  |    |    |  |    |    |                                                                                     |    |    |    |
| E                                                                                 | Heel energy absorption                                   |                                                                                   |  |  |    |    |  |    |    |                                                                                     |    |    |    |
| UPDATE                                                                            | WPA                                                      |                                                                                   |                                                                                   |  |    |    |  |    |    |                                                                                     |                                                                                       |                                                                                       |                                                                                       |
|                                                                                   | WR                                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                      |                                                                                     |  |  |                                                                                     |  |  |  |
| UPDATE                                                                            | P                                                        |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                      |                                                                                     |  |  |                                                                                     |                                                                                       |  |                                                                                       |
| NEW                                                                               | PL<br>L<br>PS<br>S                                       |                                                                                   |                                                                                   |                                                                                   |                                                                                     |                                                                                      |                                                                                     |                                                                                       |  |                                                                                     |                                                                                       |  |                                                                                       |
|                                                                                   | Cleated outsole<br>(cleat height ≥ 3,5mm)                |                                                                                   |                                                                                   |                                                                                   |  |  |                                                                                     |  |  |                                                                                     |  |  |                                                                                       |

### Additional features

|                                                                                       |                                         |                                                         |
|---------------------------------------------------------------------------------------|-----------------------------------------|---------------------------------------------------------|
| AN                                                                                    | Ankle protection                        |                                                         |
| M                                                                                     | Metatarsal protection                   |                                                         |
| NEW                                                                                   | SR                                      | Slip resistance<br>(ceramic floor + oily solution)      |
| A                                                                                     | Antistatic                              |                                                         |
| NEW                                                                                   | LG                                      | Ladder grip                                             |
| NEW                                                                                   | SC                                      | Abrasion resistant<br>scuff cap                         |
| CI                                                                                    | Cold insulation                         |                                                         |
| HI                                                                                    | Heat insulation                         |                                                         |
| HRO                                                                                   | Heat-resistant outsole<br>(up to 300°C) |                                                         |
| UPDATE                                                                                | P                                       | Metallic puncture resistant<br>midsole (4.5mm nail)     |
| NEW                                                                                   | PL                                      | Non-metallic puncture resistant<br>midsole (4.5mm nail) |
| NEW                                                                                   | PS                                      | Non-metallic puncture resistant<br>midsole (3mm nail)   |
| UPDATE                                                                                | WPA                                     | Water penetration<br>and absorption                     |
| WR                                                                                    | Waterproof                              |                                                         |
| E                                                                                     | Heel energy<br>absorption               |                                                         |
| UPDATE                                                                                | FO                                      | Oil & fuel resistance                                   |
|  | Electrostatic discharge<br>(EN 61340)   |                                                         |
|  | Electrical hazard<br>(ASTM F2413)       |                                                         |

*just feels like*  
**DANCING**

Play **movie**





## JUMADI 0B

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Mesh                                                                |
| Outsole    | EVA/Rubber (NBR)                                                    |
| Lining     | Mesh                                                                |
| Footbed    | SJ foam                                                             |
| Category   | OB E, SR                                                            |
| Size Range | EU 35-48 • UK 3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



## BESTNURSE

|            |                                                                   |
|------------|-------------------------------------------------------------------|
| Upper      | Mesh, Synthetic                                                   |
| Outsole    | Phylon/Rubber (NBR)                                               |
| Lining     | Mesh                                                              |
| Footbed    | SJ foam                                                           |
| Category   | -                                                                 |
| Size Range | EU 35-42 • UK 3.0-8.0 • US 3.0-9.0<br>KOR 230-270 • JPN 21.5-26.5 |



## ELIS 0B LOW

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Synthetic Leather                                                   |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Lining     | 3D-Mesh                                                             |
| Footbed    | SJ foam                                                             |
| Category   | O2 ESD, SRC                                                         |
| Size Range | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



## SLOAN 01 LOW

|            |                                                                   |
|------------|-------------------------------------------------------------------|
| Upper      | Mesh, Synthetic                                                   |
| Outsole    | Phylon/Rubber (NBR)                                               |
| Lining     | Mesh                                                              |
| Footbed    | SJ foam                                                           |
| Category   | O1 ESD, SRC, FO                                                   |
| Size Range | EU 35-42 • UK 3.0-8.0 • US 3.0-9.0<br>KOR 230-270 • JPN 21.5-26.5 |



## ATUM 0B

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Knitted Textile                                                     |
| Outsole    | TPR/EVA                                                             |
| Lining     | Textile                                                             |
| Footbed    | SJ foam                                                             |
| Category   | OB E, SR                                                            |
| Size Range | EU 35-48 • UK 3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |



## LAUREN

|            |                                                                   |
|------------|-------------------------------------------------------------------|
| Upper      | Mesh, Synthetic                                                   |
| Outsole    | EVA                                                               |
| Lining     | Mesh                                                              |
| Footbed    | Oxy Basic                                                         |
| Category   | -                                                                 |
| Size Range | EU 35-42 • UK 3.0-8.0 • US 3.0-9.0<br>KOR 230-270 • JPN 21.5-26.5 |



## LISBETH 02

|            |                                                                   |
|------------|-------------------------------------------------------------------|
| Upper      | Nappa Leather                                                     |
| Outsole    | Phylon/Rubber (NBR)                                               |
| Lining     | Mesh                                                              |
| Footbed    | SJ foam                                                           |
| Category   | O2 ESD, SRC                                                       |
| Size Range | EU 35-42 • UK 3.0-8.0 • US 3.0-9.0<br>KOR 230-270 • JPN 21.5-26.5 |



## KASSIE 01

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | 3D-Mesh                                                             |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Lining     | Mesh                                                                |
| Footbed    | SJ foam                                                             |
| Category   | O1 SRC                                                              |
| Size Range | EU 35-48 • UK 3.0-13.0 • US 3.0-13.5<br>KOR 230-315 • JPN 21.5-31.5 |







## LIGHT APPLICATION

## SPORTS



WHT



NAV

### MAUD OB

|            |                                                                   |
|------------|-------------------------------------------------------------------|
| Upper      | Mesh                                                              |
| Outsole    | Phylon/Rubber (NBR)                                               |
| Lining     | Mesh                                                              |
| Footbed    | SJ foam                                                           |
| Category   | OB SRA, E                                                         |
| Size Range | EU 36-42 • UK 3.5-8.0 • US 4.0-9.0<br>KOR 235-270 • JPN 22.5-26.5 |



NAV



BLK

### JAMES OB

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Mesh                                                                |
| Outsole    | Phylon/Rubber (NBR)                                                 |
| Lining     | Mesh                                                                |
| Footbed    | SJ foam                                                             |
| Category   | OB SRA, E                                                           |
| Size Range | EU 39-47 • UK 6.0-12.0 • US 6.5-13.0<br>KOR 255-310 • JPN 25.0-31.0 |



## LIGHT APPLICATION

## UNIFORM



WHT



BLK

### SUN OB SLP

|            |                                                                   |
|------------|-------------------------------------------------------------------|
| Upper      | Synthetic Leather                                                 |
| Outsole    | PU                                                                |
| Lining     | N/A                                                               |
| Footbed    | SJ foam                                                           |
| Category   | OB SRC                                                            |
| Size Range | EU 35-42 • UK 3.0-8.0 • US 3.0-9.0<br>KOR 230-270 • JPN 21.5-26.5 |



BLK

### JULIA2 OB

|            |                                                                   |
|------------|-------------------------------------------------------------------|
| Upper      | Synthetic Leather                                                 |
| Outsole    | PU/Rubber (NBR)                                                   |
| Lining     | Synthetic Leather, Mesh                                           |
| Footbed    | SJ foam                                                           |
| Category   | OB SRC, E, FO                                                     |
| Size Range | EU 35-42 • UK 3.0-8.0 • US 3.0-9.0<br>KOR 230-270 • JPN 21.5-26.5 |



## MEDIUM APPLICATION

## UNIFORM



BLK

### DUBLIN O2

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Nappa Leather                                                       |
| Outsole    | PU/Rubber (NBR)                                                     |
| Lining     | Textile                                                             |
| Footbed    | SJ foam                                                             |
| Category   | O2 SRC                                                              |
| Size Range | EU 39-47 • UK 6.0-12.0 • US 6.5-13.0<br>KOR 255-310 • JPN 25.0-31.0 |



BLK

### BERLIN O2

|            |                                                                     |
|------------|---------------------------------------------------------------------|
| Upper      | Nappa Leather                                                       |
| Outsole    | PU/Rubber (NBR)                                                     |
| Lining     | Textile                                                             |
| Footbed    | SJ foam                                                             |
| Category   | O2 SRC                                                              |
| Size Range | EU 39-47 • UK 6.0-12.0 • US 6.5-13.0<br>KOR 255-310 • JPN 25.0-31.0 |



## MEDIUM APPLICATION

## MOVE & LITEWALK



WHT

### EVAN 01

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Action Leather                                                      |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                                 |
| <b>Lining</b>     | Mesh                                                                |
| <b>Footbed</b>    | Oxy Basic                                                           |
| <b>Category</b>   | O1 ESD, HRO, SR                                                     |
| <b>Size Range</b> | EU 39-46 • UK 6.0-11.0 • US 6.5-12.0<br>KOR 255-300 • JPN 25.0-30.0 |



BLK

### CHAMP 02 LOW

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Synthetic Leather                                                   |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                                 |
| <b>Lining</b>     | Mesh                                                                |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Category</b>   | O2 ESD, SRC, FO                                                     |
| <b>Size Range</b> | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



BLK

### DOMINIQUE 01

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Action Leather, Mesh                                                |
| <b>Outsole</b>    | PU/Rubber (NBR)                                                     |
| <b>Lining</b>     | 3D-Mesh                                                             |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Category</b>   | O1 ESD, SRC                                                         |
| <b>Size Range</b> | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |



BLK

### ELIANE 01

|                   |                                                                   |
|-------------------|-------------------------------------------------------------------|
| <b>Upper</b>      | Synthetic Leather                                                 |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                               |
| <b>Lining</b>     | Mesh                                                              |
| <b>Footbed</b>    | SJ foam                                                           |
| <b>Category</b>   | O1 ESD, SRC                                                       |
| <b>Size Range</b> | EU 35-42 • UK 3.0-8.0 • US 3.0-9.0<br>KOR 230-270 • JPN 21.5-26.5 |



## HEAVY APPLICATION

## CLOGS



NAV

BLK



WHT

### SMOOTH 0B

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Expanded EVA                                                        |
| <b>Outsole</b>    | Rubber (NBR)                                                        |
| <b>Lining</b>     | N/A                                                                 |
| <b>Footbed</b>    | N/A                                                                 |
| <b>Category</b>   | OB ESD, A, SRC, E                                                   |
| <b>Size Range</b> | EU 36-46 • UK 3.5-11.0 • US 4.0-12.0<br>KOR 235-300 • JPN 22.5-30.0 |



EGN

WHT

BLK



EBL

### OXYCLOG 0B

|                   |                                                                                                                |
|-------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Upper</b>      | TPE                                                                                                            |
| <b>Outsole</b>    | TPE                                                                                                            |
| <b>Lining</b>     | N/A                                                                                                            |
| <b>Footbed</b>    | SJ foam                                                                                                        |
| <b>Category</b>   | OB ESD, A, SRA, E                                                                                              |
| <b>Size Range</b> | EU 35/36-45/46 • UK 3.0/3.5-10.5/11.0<br>US 3.0/4.0-11.5/12.0 • KOR 230/235-295/300<br>JPN 21.5/22.5-29.0/30.0 |



WHT

EGN



EBL

NAV



BLK

### SONIC 0B

|                   |                                                                                                                |
|-------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Upper</b>      | Expanded EVA                                                                                                   |
| <b>Outsole</b>    | Expanded EVA                                                                                                   |
| <b>Lining</b>     | N/A                                                                                                            |
| <b>Footbed</b>    | N/A                                                                                                            |
| <b>Category</b>   | OB ESD, A, E, SR                                                                                               |
| <b>Size Range</b> | EU 35/36-45/46 • UK 3.0/3.5-10.5/11.0<br>US 3.0/4.0-11.5/12.0 • KOR 230/235-295/300<br>JPN 21.5/22.5-29.0/30.0 |



WHT

BLK



NAV

### OXYVA 01

|                   |                                                                                                                |
|-------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Upper</b>      | Expanded EVA                                                                                                   |
| <b>Outsole</b>    | Expanded EVA                                                                                                   |
| <b>Lining</b>     | N/A                                                                                                            |
| <b>Footbed</b>    | Comfort Footbed                                                                                                |
| <b>Category</b>   | OB ESD, A, SRC, E                                                                                              |
| <b>Size Range</b> | EU 35/36-45/46 • UK 3.0/3.5-10.5/11.0<br>US 3.0/4.0-11.5/12.0 • KOR 230/235-295/300<br>JPN 21.5/22.5-29.0/30.0 |



**OXYSAFE PB**

|                   |                                                                                                                |
|-------------------|----------------------------------------------------------------------------------------------------------------|
| <b>Upper</b>      | Expanded EVA                                                                                                   |
| <b>Outsole</b>    | Expanded EVA                                                                                                   |
| <b>Lining</b>     | Composite                                                                                                      |
| <b>Footbed</b>    | N/A                                                                                                            |
| <b>Category</b>   | PB ESD, A, E, SR                                                                                               |
| <b>Size Range</b> | EU 35/36-45/46 • UK 3.0/3.5-10.5/11.0<br>US 3.0/4.0-11.5/12.0 • KOR 230/235-295/300<br>JPN 21.5/22.5-29.0/30.0 |

**BESTCLOG OB**

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Expanded EVA                                                        |
| <b>Outsole</b>    | EVA/Rubber (NBR)                                                    |
| <b>Lining</b>     | N/A                                                                 |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Category</b>   | OB SRC                                                              |
| <b>Size Range</b> | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |

**BESTCLOG OB**

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Expanded EVA                                                        |
| <b>Outsole</b>    | EVA/Rubber (NBR)                                                    |
| <b>Lining</b>     | N/A                                                                 |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Category</b>   | OB SRC                                                              |
| <b>Size Range</b> | EU 35-47 • UK 3.0-12.0 • US 3.0-13.0<br>KOR 230-310 • JPN 21.5-31.0 |

**BESTLIGHT1 OB**

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Expanded EVA                                                        |
| <b>Outsole</b>    | EVA/Rubber (NBR)                                                    |
| <b>Lining</b>     | N/A                                                                 |
| <b>Footbed</b>    | SJ Basic 2                                                          |
| <b>Category</b>   | OB SRC                                                              |
| <b>Size Range</b> | EU 36-47 • UK 3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |

**OXYFOAM**

PER 24 PAIRS

|                       |                                                                                                                                                                                       |
|-----------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Specifications</b> | Maximum cushioning<br>Reduces muscle, foot, knee and back pain<br>ESD standard ensures the dissipation of electrostatic charges<br>3 sizes in 1: adjustable to every foot<br>Coolmax® |
| <b>Size Range</b>     | 3 sizes in 1, adjustable to every foot:<br>36/37/38 and 39/40/41                                                                                                                      |






The background of the entire page is a photograph of a person with long blonde hair, seen from behind, walking on a path in a field of tall grass. The person is wearing a light-colored shirt and dark pants. The scene is bathed in warm, golden light, suggesting a sunrise or sunset. In the foreground, a pair of dark-colored sneakers with white laces and white soles is resting on the grass. The sneakers have a distinctive white 'Z' or 'W' shaped logo on the side. The overall composition is framed by large, abstract, olive-green geometric shapes on the left and right sides.

**SAFETY  
JOGGER**  
ADVENTURE

# ADVENTURE

Safety Jogger Adventure offers outdoor footwear designed to explore every adventure. Our hiking shoes combine unbeatable comfort, trendy designs and superior grip and traction, empowering you to conquer any terrain with confidence. Each pair comes with a reusable nylon bag, perfect for storing your dirty shoes and/or transporting them after use.



## LOGAN

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | 3D-Mesh, Elastic                                                    |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                                 |
| <b>Lining</b>     | Textile                                                             |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Size Range</b> | EU 36-47 • UK 3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



## COLORADO

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | 3D-Mesh, Synthetic Leather                                          |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                                 |
| <b>Lining</b>     | Textile                                                             |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Size Range</b> | EU 39-47 • UK 6.0-12.0 • US 6.5-13.0<br>KOR 255-310 • JPN 25.0-31.0 |



## NAPO

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Mesh, TPU                                                           |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                                 |
| <b>Lining</b>     | Textile                                                             |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Size Range</b> | EU 40-47 • UK 7.0-12.0 • US 7.5-13.0<br>KOR 260-310 • JPN 25.5-31.0 |



## MANU

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Knitted Textile, TPU                                                |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                                 |
| <b>Lining</b>     | Membrane, 3D-Mesh                                                   |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Size Range</b> | EU 40-47 • UK 7.0-12.0 • US 7.5-13.0<br>KOR 260-310 • JPN 25.5-31.0 |




## LANOS

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Textile                                                             |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                                 |
| <b>Lining</b>     | Nonwoven                                                            |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Size Range</b> | EU 40-47 • UK 7.0-12.0 • US 7.5-13.0<br>KOR 260-310 • JPN 25.5-31.0 |



## BOGOTA

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Knitted Recycled Textile, Leather                                   |
| <b>Outsole</b>    | Recycled Phylon/Rubber (NBR)                                        |
| <b>Lining</b>     | Recycled Mesh                                                       |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Size Range</b> | EU 40-47 • UK 7.0-12.0 • US 7.5-13.0<br>KOR 260-310 • JPN 25.5-31.0 |



## SANTIAGO

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Textile, TPU                                                        |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                                 |
| <b>Lining</b>     | Mesh                                                                |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Size Range</b> | EU 36-47 • UK 3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



## CARACAS

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Mesh, TPU                                                           |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                                 |
| <b>Lining</b>     | Membrane, Mesh                                                      |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Size Range</b> | EU 36-47 • UK 3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |







## TAMAN

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Mesh, TPU                                                           |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                                 |
| <b>Lining</b>     | Membrane, Mesh                                                      |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Size Range</b> | EU 36-46 • UK 3.5-11.0 • US 4.0-12.0<br>KOR 235-300 • JPN 22.5-30.0 |



## TAMBO MID

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Waterproof Leather                                                  |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                                 |
| <b>Lining</b>     | Membrane, 3D-Mesh                                                   |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Size Range</b> | EU 40-47 • UK 7.0-12.0 • US 7.5-13.0<br>KOR 260-310 • JPN 25.5-31.0 |



## TAMBO

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Waterproof Leather                                                  |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                                 |
| <b>Lining</b>     | Membrane, 3D-Mesh                                                   |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Size Range</b> | EU 40-47 • UK 7.0-12.0 • US 7.5-13.0<br>KOR 260-310 • JPN 25.5-31.0 |



## SCOUT

Out of stock KHA  
EU 41/42/43

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Waterproof Leather                                                  |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                                 |
| <b>Lining</b>     | 3D-Mesh, Membrane                                                   |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Size Range</b> | EU 36-47 • UK 3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



## SCOUT LOW

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Waterproof Leather                                                  |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                                 |
| <b>Lining</b>     | 3D-Mesh, Membrane                                                   |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Size Range</b> | EU 36-47 • UK 3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



## STREET

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Waterproof Leather                                                  |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                                 |
| <b>Lining</b>     | 3D-Mesh, Membrane                                                   |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Size Range</b> | EU 36-47 • UK 3.5-12.0 • US 4.0-13.0<br>KOR 235-310 • JPN 22.5-31.0 |



## STEADY

|                   |                                                                     |
|-------------------|---------------------------------------------------------------------|
| <b>Upper</b>      | Waterproof Leather                                                  |
| <b>Outsole</b>    | Phylon/Rubber (NBR)                                                 |
| <b>Lining</b>     | Membrane, Mesh                                                      |
| <b>Footbed</b>    | SJ foam                                                             |
| <b>Size Range</b> | EU 39-47 • UK 6.0-12.0 • US 6.5-13.0<br>KOR 255-310 • JPN 25.0-31.0 |









## CONTACT

### EUROPE

Meersbloem Melden 42  
9700 Oudenaarde  
Belgium

Phone: (32)55 33 44 44  
info@safetyjogger.com

### UNITED STATES

Fitron Americas Inc  
suite220, 9250 Wilshire Blvd.  
Beverly Hills CA90212-USA

Phone: 1-877-669-9727  
info@fitronamericas.com

### CHINA

Niu Dun Industrial estate  
Hengli, Wang Niu Dun, Dongguan  
Guangdong Province  
China(postal code 523216)  
广东省东莞市望牛墩镇横沥村牛顿工业区  
二楼直销部(邮编523216)

Phone: (86) 769 3901 8500  
safetyjogger@cortinachina.com





|                                                                                     |                              |                                                                                      |                                |                                                                                       |                                  |                                                                                     |                                        |
|-------------------------------------------------------------------------------------|------------------------------|--------------------------------------------------------------------------------------|--------------------------------|---------------------------------------------------------------------------------------|----------------------------------|-------------------------------------------------------------------------------------|----------------------------------------|
|    | ANSI/ISEA standard           |    | Grip                           |    | Slip-resistant outsole           |  | DMF free PU                            |
|    | Antibacterial                |    | Heat insulated                 |    | Soft impact foam footbed         |  | Latex free glove                       |
|    | Anticut                      |    | Heat-resistant outsole         |    | Stretch                          |  | Leather                                |
|    | Antistatic shoe              |    | Heel energy absorption         |    | Super breathable                 |  | Vegan                                  |
|    | Autoclavable 135°C           |    | Instant dry                    |    | Tiger Grip technology            |  | Vegan Lorica                           |
|    | Breathable upper             |    | Ladder grip                    |    | Twist lock system                |  | Individual orthopedic solutions        |
|    | CE standard                  |    | Lightweight                    |    | Touchscreen glove                |  | Hazard Analysis Critical Control Point |
|    | Chemical and UV sterilizable |    | Memory foam                    |    | Warm lining                      |                                                                                     |                                        |
|    | Cleated outsole              |    | Metalfree                      |    | Washable 30°C                    |                                                                                     |                                        |
|   | Cold insulated               |   | Non-marking outsole            |   | Washable 90°C                    |                                                                                     |                                        |
|  | Easy lace up                 |  | Oil- and fuelresistant outsole |  | Water penetration and absorption |                                                                                     |                                        |
|  | Electrical hazard protection |  | Oxygrip                        |  | Waterproof                       |                                                                                     |                                        |
|  | Closed heel                  |  | Puncture-resistant midsole     |  | Water-resistant uppers           |                                                                                     |                                        |
|  | Extra wide                   |  | Removable footbed              |  | Electrostatic Discharge          |                                                                                     |                                        |
|  | Glove gauge                  |  | Safety toe cap                 |  | Recycled                         |                                                                                     |                                        |



**SAFETY  
JOGGER**  
WORKS

HEAD-TO-TOE PROTECTION

